The first international conference on the "Evolution of Contemporary Mathematics and their Impact in Sciences and Technology" (ECMI-SciTech 2017). October 09-12, 2017. Freres Mentouri University- Constantine, Algeria.



http://ecmi2017.labomam.net/

Abstracts book of The First International Conference on the Evolution of Contemporary Mathematics and their Impact in Sciences and Technology

ECMISciTech2017

October 09-12, 2017

Freres Mentouri University- Constantine, Algeria.



Contents

- Conference program	1
- Workshop 1 program	2
- Workshop 2 program	4
- Workshop 3 program	6
- Poster session 1 program	8
- Poster session 2 program	10
- Poster session 3 program	12
- Poster session 4 program	14



Conference Program - ECMI-SciTech 2017.

October 09, 2017.

October 10, 2017.

October 11, 2017.

08h00: Inscriptions.

08h30: Opening Ceremony.

09h00: Conference Plenary 1.

10h00: Coffee-Break.

11h00: Starting of the different Workshops.

12h30: Lunch.

13h30: Afternoon sessions 1 for the programmed workshops.

15h00: Coffee-Break & Poster session 1.

16h00: Afternoon sessions 2 for the programmed workshops.

08h00: Inscriptions.

09h00: Conference Plenary 2.

10h00: Coffee-Break & Poster session 2.

11h00: Starting of the different Workshops.

12h30: Lunch.

13h30: Afternoon sessions 1 for the programmed workshops.

15h00: Coffee-Break & Poster session 3.

16h00: Afternoon sessions 2 for the programmed workshops.

09h00: Conference Plenary 3.

08h00: Inscriptions.

10h00: Coffee-Break & Poster session 4.

11h00: Starting of the different Workshops.

12h30: Lunch.

13h30: Afternoon sessions 1 for the programmed workshops.

15h00: Coffee-Break.

16h00: Afternoon sessions 2 for the programmed workshops.

17h00: Closing ceremony

& and distribution of

participation certificates

The number of workshops is three.

October 12, 2017:

Social Program: half-day excursion / Tour

Plenary Speakers:

- Professor Said BOUSSAKTA: "The Role of Mathematics in Modern Communications, Signal Processing and Information Security.", School of Electrical and Electronic Engineering, Newcastle University, United Kingdom.
- Professor Fethi BIN MUHAMMAD BELGACEM,:"New Trends in Applicative Theory with the Smudu Transform.", Department of Mathematics, Faculty of Basic Education, PAAET, AI - Ardhiya, Kuwait.
- Professor Mohamed DALAH: "An Antiplane Contact Problem with Long-Term Memory: Case Electro-Visco-Elastic Materials.", Department of Mathematics, Faculty of Exact Sciences, Freres Mentouri University Constantine. Algeria.





Workshop 1

Day 1: October 09, 2017

- Mohammed CHEBBAH. Simulations for Efficient combination of two lower bound functions in univariate global optimization. Mouloud Mammeri University, Tizi Ouzou, Algeria.
- Houda HASSOUNA. The proof of method of spatial contextual Gaussian process of image classification. Mohamed Khider University, Biskra, Algeria.
- Badredine ISSAADI. A new bounds for approximation of invariant measures in countable space Markov chains. Unversity of boumerdes, Laboratory LaMOS, Targa Ouzemour, 06000 Bejaia, Algeria.
- Rebiha ZEGHDANE. Bernoulli polynomials for the numerical solution of Volterra -Fredholm-Hammerstein stochastic integral equations. Mohamed El Bachir El Ibrahimi University, Bordj Bou Arréridj, Algeria.
- Mohammed Nor FRIOUI. Age Structured Model Of Virus Dynamics With General Nonlinear Infection Response. Aboubekr Belkaid University, Tlemcen, Algeria.
- Bachir ALILI. Reliability modeling of industrial gas turbine using Weibull distribution. Ziane Achour University, Djelfa, Algeria.
- Fatima Zohra SIDI ALI. Stabilization of the wave equation with a delay term in the nonlinear boundary feedback. Mostefa Ben Boulaïd University, Batna, Algeria.
- Moussa BOULOUDENE. On the Limit Distributions Of Multi-state Homogeneous Consecutivekout-of-n:G Systems. Freres Mentouri University, Constantine, Algeria.

Day 2: October 10, 2017

- Nizar MANNAI. Optimal replacement time for a stochastically degrading system with a random initial age. Polytechnic School of Tunisia, Tunisia.
- Souâd YACHEUR. Mathematical analysis of a Malaria model. Aboubekr Belkaid University, Tlemcen, Algeria.
- Assia OUTAMAZIRT. A New Analytical formula for Computing the Delay Probability in Cloud Center Modeling as M/G/c/k Queue. Abderrahmane Mira University, Bejaia, Algeria.
- Soumaya GHNIMI. Probabilistic modeling of imperfect repair effects for a repairable system. University of Tunis El Manar, Tunisia.
- Imane DEKKAR. Existence and global attractivity of periodic solutions in a max-type system of difference equations. Mohamed Seddik Ben Yahia University, Jijel, Algeria.
- Imène KHELIFA. Inverse boundary value problem in a perturbed strip. Badji Mokhtar University, Annaba, Algeria.
- Wassila GHECHAM. Stabilization of the wave equation with a delay term in the nonlinear boundary feedback. Mostefa Ben Boulaïd University, Batna, Algeria.
- Lamia CHOUCHANE. A history-dependent problem for elastic-viscoplastic materials with internal state variable. Ferhat Abbas University, Setif, Algeria.





Workshop 1

Day 3: October 11, 2017

- Lounes AMEUR. Robust Analysis of Retrial Queues. Abderrahmane Mira University, Bejaia, Algeria.
- Abdelkader LAIADI . Free surface flow over trapezoidal obstacle under surface tension and gravity. Mohamed Khider University, Biskra, Algeria.
- Fethi SOUNA. Bifurcation and global dynamics of a predator-prey model with herd behavior and quadratic predator harvesting. Djillali Liabes University, Sidi Bel Abbes, Algeria.
- Tengaa Peter. Roles of Mathematics Reasearches towards industrial Economic growth, case of Tanzania. College of Business Education(CBE), Tanzania.
- Faïrouz AFROUN. Matrix method for the analysis and performance evaluation of the unreliable M/M/1/N queueing model. Mouloud Mammeri University, Tizi Ouzou, Algeria.
- Nedjma AIANE. Strong Stability Estimate in a Periodic Review Inventory Model. Abderrahmane Mira University, Bejaia, Algeria.
- Somia GUECHI. Taylor series for solving linear and Hammerstein ill-posed Volterra problems via iterations method. Mohamed Boudiaf University, M'Sila, Algeria.
- Soumia LATRECHE. History-dependent frictional contact problems. Ferhat Abbas University, Setif, Algeria.

Simulations for Efficient combination of two lower bound functions in univariate global optimization

M CHEBBAH 1*, M. OUANES²

^{1*} LABORATOIRE LAROMAD TO ²LABORATOIRE LAROMAD TO e-mail: ^{1*} chbbhea@yahoo.fr ² ouanes_mohand@yahoo.fr

Abstract: We propose a new method for solving univariate global optimization problems by combining a lower bound function given in αBB method [1], with the improved lower bound function of the method developed in [5]. The new lower bound function is better than the two lower bound functions by its construction. The complementarity of the two lower bound functions allows us to derive the convex/concave test and the pruning step which accelerate the convergence of the proposed method. Illustrative examples are treated efficiently

Keywords: Global optimization, αBB method, quadratic lower bound function, Branch and Bound, pruning method

MSC 2010:

- [1] I.P. Androulakis, C.D. Marinas, C.A. Floudas, *αBB: A global optimization method for general constrained nonconvex problems* J. Glob. Optim. (1995), 7, 337-363.
- [2] C de Boor, A practical Guide to Splines Applied Mathematical Sciences. Springer-Verlag (1978).
- [3] C. A. Floudas and C. E. Gounaris, *A review of recent advances in global optimization*, J Glob Optim. (2008), DOI 10.1007/s10898-008-9332-8
- [4] Chrysanthos E. Gounaris · Christodoulos A. Floudas. *Tight convex underestimators for C2-continuous problems: I. univariate functions* J Glob Optim (2008) 42:51 67 DOI 10.1007/s10898-008-9287-9 Received: 14 December 2006 / Accepted: 6 February 2008 / Published online: 13 March 2008 © Springer Science+Business Media, LLC. 2008
- [5] Le Thi Hoai An and Ouanes Mohand, *Convex quadratic underestimation and Branch and Bound for univariate global optimization with one nonconvex constraint*, RAIRO Oper. Res. (2006) 40: 285-302.
- [6] D.G. Sotiropoulos and T.N. Grapsa, *Optimal centers in branch-and-prune algorithms for univariate global optimization*, Applied Mathematics and Computation, 169 (2005), pp.247-277.
- [7] Mohand Ouanes, Hoai An Le Thi, Trong Phuc Nguyen, Ahmed Zidna, *New quadratic lower bound for multivariate functions in global optimization* Mathematics and Computers in Simulation, (2015) 109, 197-211.
- [8] Le Thi Hoai An, Mohand Ouanes, Ahmed Zidna, *An Adapted Branch and Bound Algorithm for Approximating Real Root of a Ploynomial.* MCO 2008: 182-189
- [9] Le Thi, H.A., Ouanes, M., Zidna, A. *Computing real zeros of a polynomial by branch and bound and branch and reduce algorithms* Yugoslav Journal of Operations Research (2014)24,53-69.

Proof of the method of spatial contextual Gaussian process of image classification

Houda HASSOUNA 1* , Farid MELGANI 2

^{1*}Laboratory of Applied Mathematics, University of Biskra, Biskra, Algeria ²University of Trento, Trento, Italy e-mail: ^{1*}houda.hassouna@yahoo.fr ²melgani@disi.unitn.it

Abstract: Recently, a new machine learning approach, based on the Gaussian process theory, was introduced. Though it is shown that, for numerous other classification approaches, the exploitation of spatial contextual information can be potentially attractive to increase the classification accuracy, it still remains to adequately address the issue of integrating such information. In this paper, we are interested in image classification with special attention to the Gaussian process based one. Specifically, we will be looking at the proof of the iterative method by reformulating the standard Gaussian process classification learning model so as to integrate spatial contextual information, in order to improve the accuracy of such classification. In conclusion, this work, by closely examining the proof of spatial contextual classification method, sheds new light on the effectiveness of the latter on image classification.

Keywords: Gaussian processes; image classification; spatial contextual information

MSC 2010:

- [1] BAZI, Y. MELGANI, F. Classification of Hyperspectral Remote Sensing Images Using Gaussian Process. *IEEE Transactions on Geoscience and Remote Sensin*, 2008.
- [2] BAZI, Y. MELGANI, F. Gaussian process approach to remote sensing image classification. *IEEE Transactions on Geoscience and Remote Sensin*, :186-197, 2009.
- [3] HASSOUNA, H. MELGANI, F. and MOKHTARI, Z. Spatial Contextual Gaussian Process Learning for Remote Sensing Image Classification. *Remote Sensing Letters*, 519-528, 2015.
- [4] RASMUSSEN, C. E., and C. K. I. Williams. *Gaussian Process for Machine Learning*. Cambridge, MA: MIT Press, 2006.
- [5] RASMUSSEN, C. E., and C. K. I. Williams.Gaussian Process Software.[Online]. Available: http://www.Gaussian.process.org/gpml/code/matlab/doc/

A new bounds for approximation of invariant measures in countable space Markov chains

Badredine ISSAADI

Unversity of boumerdes, Laboratory LaMOS, Targa Ouzemour, 06000 Bejaia, Algeria

e-mail: issaadi_badredine@yahoo.fr

Abstract: This work investigate the approximation of invariant distributions for countable space Markov chains using truncations of the transition matrix.

Keywords: Truncation; Queueing System; weak Stability; Markov chain; Algorithm.

MSC 2010: 60M20; 60K25; 60J10.

References

[1] L. Hervé, and J. Ledoux. Approximating Markov chains and *V*-geometric ergodicity via weak perturbation theory. *Stochastic Process. Appl.*, 124:613–638, 2014.

Bernoulli polynomials for the numerical solution of Volterra-Fredholm-Hammerstein stochastic integral equations

R. Zeghdane^{1*}

 1* Department of mathematics, University of Bordj-BouArreridj, Algeria e-mail: 1* rebihae@yahoo.fr

Abstract: The aim of this paper is to use a new operational matrix for integration of Bernoulli polynomials. By using this new operational matrix of integration and the so-called collocation method, nonlinear Volterra-Fredholm-Hammerstein stochastic integral equation is reduced to nonlinear system of algebraic equations with unknown Bernoulli coefficients. Some illustrative error estimations and exapmles are provided and included to schow the accuracy and applicability of the technique.

Keywords: Nonlinear Volterra-Fredholm-Hammerstein integral equations; Bernoulli polynomials; Operational matrix; Collocation method.

MSC 2010: 65R20.

- [1] L. Arnold. Stochastic Differential Equations. Wiley, New York, 1974.
- [2] S. Bazm. Bernoulli polynomials for the numerical solution of some classes of linear and nonlinear integral equations. *Journal of Computational and Applied Mathematics*, 275: 44-60, 2015.

AGE STRUCTURED MODEL OF VIRUS DYNAMICS WITH GENERAL NONLINEAR INFECTION RESPONSE.

Mohammed Nor Frioui ¹, Tarik Mohamed Touaoula ²

1,2 Department of Mathematics, University Aboubekr Belkaid, Tlemcen, Algeria e-mail: fr_med13@yahoo.fr tarik.touaoula@mail.univ-tlemcen.dz

Abstract: We consider an age-structured virus dynamics model with very general nonlinear infection function. We prove the global asymptotic stability of equilibria depending only on the basic reproductive number R0. That is, if $R_0 \le 1$ the infection free equilibrium is globally asymptotically stable, whereas, if $R_0 > 1$; the infection equilibrium is globally asymptotically stable. The proof is based on constructing suitable Lyapunov functionals; using to this end, the existence of compact attractor, total trajectory and the strongly uniform persistence..

Keywords: Age structure; virus dynamics model; general nonlinear infection function; Compact attractor; Total trajectories; Lyapunov functional; Global stability.

MSC 2010:

- [1] S. Bentout, T. M. Touaoula, *Global analysis of an infection age model with a class of nonlinear incidence rates*, J. Math. Anal. Appl. 434, 2016, 1211-1239.
- [2] J. Wang, R. Zhang, T. Kuniya, *Mathematical analysis for an age-structured HIV infection model with saturation infection rate,* Elect. J. Diff. Eq., 33, 2015, 1-19.
- [3] Y. Yang, S. Ruan, D. Xiao, Global stability of an age-structured virus dynamics model with Beddington-DeAngelis infection function, Math. Biosc. Eng., 12, 4, 2015, 859-877.

Reliability modeling of industrial gas turbine using Weibull distribution

Bachir Alili^{1*}, Ahmed Hafaifa¹, Mouloud Guemana², Abdellah Kouzou ¹

Applied Automation and Industrial Diagnostics Laboratory,
 Faculty of Science and Technology, University of Djelfa 17000 DZ, Algeria.
 Faculty of Science and Technology, University of Médéa, Algeria

e-mail: : B.alili@univ-djelfa.dz, kouzouabdellah@ieee.org, hafaifa.ahmed.dz@ieee.org, guemana.mouloud@univ-medea.dz

Abstract: This work propose an approach for reliability optimization applied to gas turbine, to ensure there availability. we propose to develop the tools and sustainability issues, competitiveness, safety and security, instrumentation on this complex industrial systems. Because the increasing complexity of industrial systems has a major impact on the proper operation of these oil installations. In the gas and oil industry, rotating machinery have great interest, they are usually strategic, the aim of this work is increasing the efficiency in gas compression station, for prevention against failures of the gas turbines is using a reliable monitoring approach, which will ensure the optimum availability of these machines. In this context, the quantitative models to assess maintenance performance are essential to optimize decision making and implementation of advanced maintenance policies. The objective of this work is to study and use the right tools of reliability using Weibull distribution to ensure the optimum availability of these machines.

Keywords: Reliability, Weibull distribution, process engineering, gas turbine, availability, dependability, dynamic reliability.

MSC 2010:

- [1] hmed Hafaifa, Abdellah Kouzou, Mouloud Guemana, Nadji Hadroug, Reliability Analysis using Weibull Distribution Applied to a Booster Pump used in Oil Drilling Installations. Journal of the Technical University Sofia, Branch Plovdiv, Bulgaria, Fundamental Sciences and Applications, 2016, vol. 22, pp. 31-37.
- [2] hmed Hafaifa, Belhadef Rachid, Guemana Mouloud, Reliability model exploitation in industrial system maintainability using expert system evaluation. In Proceding of the 4th International Conference on Integrity, Reliability and Failure, IRF2013, June 2013, Funchal, Madeira, Portugal, pp.387-388.
- [3] hmed Hafaifa, Mouloud Guemana and Attia Daoudi, Vibration supervision in gas turbine based on parity space approach to increasing efficiency. Journal of Vibration and Control, 2015, vol. 21, pp. 622-1632.
- [4] hmed Zohair Djeddi, Ahmed Hafaifa and Abudura Salam, Operational reliability analysis applied to a gas turbine based on three parameter Weibull distribution. Mechanics, 2015, vol. 21, no. 3, pp. 187?192.

Stabilization of the wave equation with a delay term in the nonlinear boundary feedback

^{1*} F. Z. Sidi ali, S. E. Rebiai² and W. Ghecham³

 1* LTM, University of Batna 2 2 LTM, University of Batna 2 and 3 LTM, University of Batna 2 e-mail: 1* fatima-sidiali05@hotmail.fr 2 rebiai@hotmail.com 3 wassilaghechamm@gmail.com

Abstract: The purpose of this paper is to study the stability of the multidimensional wave equation with a delay term in the nonlinear boundary feedback. This problem has been investigated in [3] in the case of linear boundary feedback.

Keywords: Wave equation; non-linear boundary feedback; time delay; stabilization; multiplier method

MSC 2010:

- [1] Komornik, V., Exact controllability and stabilization. The multiplier method, Mason-John Wiley, 1994.
- [2] Lasiecka, I. and Tataru, D, *Uniform boundary stabilization of semilinear wave equations with nonlinear boundary damping*. Differential and Integral Equations, 507–533,1993.
- [3] Nicaise, S. and Pignotti, C., *Stability and instability results of the wave equation with a delay term in the boundary or internal feedbacks.* SIAM J. Control Optim., 45, 1561–1585,2006.
- [4] Zuazua, E., *Uniform stabilization of the wave equation by nonlinear boundary feedback*, SIAM J. Control Opt., 28, 466-478 ,1990.

On the Limit Distributions Of Multi-state Homogeneous Consecutive k-out-of-n: G Systems

Moussa BOULOUDENE^{1*} and Soheir BELALOUI²

^{1*2} Department of Mathematics, Constantine 1 University, Constantine, Algeria e-mail: ^{1*}moussabouloudene@yahoo.fr ²s_belaloui@yahoo.fr

Abstract: In this paper, we focus on the limit distributions of consecutive k-out-of-n: G system with multi-state identical components. First, we establish a formula for the reliability of a multi-state consecutive k-out-of-n: G system. Then, we trait the case of identical components where we discuss their limit distributions. In the end, examples are given to motivate the results.

Keywords: Reliability; Limit distributions; Multi-state system; Consecutive *k*-out-of-*n*: *G* system

MSC 2010: 1988a; 9455b; 5549c; 8891d

- [1] B. Soheir, K. Brahim. Reliability of multi-state consecutive k-out-of-n: G systems. *International Journal of Reliability, Quality and Safety Engineering*, vol.14, n 4: 361–377, 2007.
- [2] B. Gnedenko. Sur la distribution limite du terme maximum d'une série aléatoire. *Annals of Mathematics*, second series, vol.44, n 3: 423–453, 1943.
- [3] Chernoff, H. and Teicher, H. Limit distributions of the minimax of independent identically distributed random variables. *Proc. American Mathematical Society*, 116: 474–491, 1965.
- [4] E. El-Neweihi, F. Proschan, and J. Sethuraman. Multi-state coherent systems. *Journal of Applied Probability*, vol.15: 675–688, 1978.
- [5] J. Huang, M. J. Zuo and Z. Fang. Multi-state consecutive k-out-of-n systems. *IIE Trans. on Reliab. Engineering*, vol.35: 527–534, 2003.
- [6] J. M. Kontoléon. Reliability determination of a *r*-successive-out-of-*n* : *F* systems. *IEEE Trans. Reliab*, vol. R-29: 437, 1980.
- [7] K. Kolowrocki. On a class of limit reliability functions of some regular homogeneous series-parallel systems. *Reliability Engineering and System Safety*, 39: 11–23, 1993.
- [8] K. Kolowrocki. On asymptotic reliability functions of series-parallel and parallel-series systems with identical components. *Reliability Engineering and System Safety*, 41: 251–257, 1993.
- [9] K. Kolowrocki. Limit reliability functions of some non-homogeneous series-parallel and parallel-series systems. *Reliability Engineering and System Safety*, 46: 171–177, 1994.
- [10] K. Kolowrocki. The classes of asymptotic reliability functions for series-parallel and parallel-series systems. *Reliability Engineering and System Safety*, 46: 179–188, 1994.

Optimal replacement time for a stochastically degrading system with a random initial age

Nizar Mannai

Polytechnic School of Tunisia

e-mail: nizar.mannai80@yahoo.fr

Abstract: This paper study the optimal age replacement policy for used systems, which start their second life-cycle in a more severe environment with an initial age that is uncertain. This uncertain age is modelled as a random variable following continuous probability distributions. A mathematical model is developed to minimize the total expected cost per unit of time for these systems on an infinite time horizon. Optimality and existence conditions for a unique optimal solution are derived and used in a numerical procedure to solve the problem. Numerical experiments are provided to demonstrate the added value and the impacts of the random initial age on the optimal replacement policy.

Keywords: Random age; Stochastic Degradation; Optimization; Reliability

MSC 2010: 60G57; 97K60; 80M50; 90B25

Mathematical analysis of a Malaria model

S.Yacheur^{1*}, A.Moussaoui² and A.Tridane³

e-mail: 1* s.yacheur@yahoo.fr 2 ali.moussaoui@ird.fr 3 a-tridane@uaeu.ac.ae

Abstract: One of the major problem that North African countries might face is the possible reappearance of the vector-borne diseases like Malaria. This due to the high migration of the sub-Saharan populations to the North African countries, as well as the climate change factor that create new maps of the mosquitoes, responsible for transmission of the disease, distribution in the region.

The fact the north African countries are Malaria free is not any more guarantee that it will stay at this status for ever. There several report of countries that lost the free Malaria status by WHO because of several reasons, among which the human movement and climate change.

In this work, we aim to study the possible transmission of imported Malaria in North African populations (example Algeria and Morocco), called local population, by the sub-Saharan populations, called non-local population, via two patches ODE model and on strain of mosquitoes.

The goal is to find the main factors that control this possible transmission and explore the resource possible to control such infectious from migration policies point of view. Model is set in manner to consider the carrying capacity for the non-local population to mimic the restriction of the number of immigrant that could be allowed to come the country.

Keywords: Malaria dynamic, local and non-local populations, reproduction number, global stability.

MSC 2010:			

- [1] Sehjeong Kim, Abdessamad Tridane & Dong Eui Chang. Human migrations and mosquito-borne diseases in Africa. *SIAM Journal of Applied Mathematics*, 23:2, 123-146, 2016.
- [2] Yanyu Xiao & Xingfu Zou. Can An Multiple Malaria Species Co-persist? *SIAM Journal of Applied Mathematics*, 73:1, 351-373, 2013.
- [3] Sandip Mandal, Ram Rup Sarkar & Somdatta Sinha. Mathematical models of malaria a review. *Malaria Journal*, 10:202, 2011.

^{1*, &}lt;sup>2</sup>Département de mathématique, Faculté des sciences, Université de Tlemcen, Algérie.

³ Department of Mathematical Sciences, United Arab Emirates University, Al Ain, UAE.

A New Analytical formula for Computing the Delay Probability in Cloud Center Modeling as M/G/c/k Queue

Assia OUTAMAZIRT^{1*}, Djamil AISSANI² and Kamel BARKAOUI³

1* Research unit LaMOS University of Bejaia, Algeria 2 Research unit LaMOS University of Bejaia, Algeria and 3 CEDRIC, CNAM Paris, France

e-mail: 1*tamazirt.assia@gmail.com 2lamos_bejaia@hotmail.com 3kamel.barkaoui@cnam.fr

Abstract: Successful development of cloud computing paradigm has revived the queuing theory. Based on this theory, we provide an analytical formula to compute the delay probability in cloud computing center modeling as M/G/c/k queue. This probability is used as a cloud performance measure in this paper, because it is usually the main factor to affect customer's decisions; so, it can happen that an arrival customer will leave the system without obtaining service due to long queuing length, which will directly result in revenue losses for a cloud provider.

Keywords: Queuing Theory; Loss Models; Delay Probability; Cloud Computing

MSC 2010: 60K25; 68M20; 90B22

- [1] H. Khazaei, J. Misic, and B.M. Vojislav. Performance Analysis of Cloud Computing Centers Using M/G/m/m + r Queueing Systems. *Journal of IEEE Transactions on Parallel and Distributed Systems*, Volume: 23, Issue: 5, pp 936-943, 2012.
- [2] A. Outamazirt, M. Escheikh, D. Aïssani, K. Barkaoui, and O. Lekadir. Stochastic Model for Cloud Data Center with M/G/c/c + r Queue. 10th Workshop on Verification and Evaluation of Computer and Communication System, VECoS 2016, Volume: 1689, pp 77-84, 2016.
- [3] T. Kimura. Approximations for the Delay Probability in the M/G/s Queue. *Mathematical and Computer Modelling*, Volume: 22, Issue: 10-12, pp 157-165, 1995.

Probabilistic modeling of imperfect repair effects for a repairable system

Soumaya Ghnimi

Faculty of Sciences of Tunis soumaya_ghnimi@yahoo.fr

Abstract: We consider in this paper a parallel system consisting of η identical components. Each component works independently of the others and has aWeibull distributed inter-failure time. When the system fails, we assume that the repair maintenance is imperfect according to the Arithmetic Reduction of Age models (ARAm) proposed by Doyen and Gaudoin. The purpose of this paper is to generate a simulated failure data of the whole system in order to forecast the behavior of the failure process. Besides, we estimate the maintenance efficiency and the reliability parameters of an imperfect repair following ARAm models using Maximum Likelihood Estimation (MLE) method. Our method is tested with several data sets available from related sources. The real data set corresponds to the time between failures of a compressor which is tested by Likelihood Ratio Test (LR). An analysis of the importance and the effect of the memory order of imperfect repair classes (ARAm) will be discussed using Likelihood Ratio Test.

Keywords: Exponentiated Weibull distribution; Maximum likelihood estimation; likelihood ratio test; imperfect repair

MSC 2010: 97K60; 62H12; 62F03; 62N05

Existence and global attractivity of periodic solutions in a max-type system of difference equations

Imane DEKKAR 1* and Nouressadat TOUAFEK²

1*,2 LMAM Laboratory and Department of Mathematics, Mohamed Seddik Ben Yahia University, Jijel, Algeria

e-mail: 1*imane_dek@hotmail.fr 2ntouafek@gmail.com

Abstract: We consider in this paper the following system of difference equations with maximum

$$\begin{cases} x(n+1) = \max\{f_1(n, x(n)), g_1(n, y(n))\} \\ y(n+1) = \max\{f_2(n, x(n)), g_2(n, y(n))\} \end{cases}, n = 0, 1, 2, ...,$$

where f_i , g_i , i = 1,2, are real functions with periodic coefficients. We use the Banach fixed point theorem to get a sufficient condition under which this system admits a unique periodic solution. Moreover, we show that this periodic solution attracts all the solutions of the current system. Some examples are also given to illustrate our results.

Keywords: Max-type difference equation; Periodic solutions; Banach fixed point theorem; Global attractivity.

MSC 2010: 39A10; 40A05.

- [1] A. Ardjouni, A. Djoudi. Periodic solutions for nonlinear neutral difference equations with variable delay. *Electron J Math Analysis Appl*, 1: 285-293, 2013.
- [2] J. Chu, D. O'Regan. Positive periodic solutions of system of functional difference equations. *Commun Appl Anal*, 12: 235-244, 2008.
- [3] I. Dekkar, N. Touafek. Existence and global attractivity of periodic solutions in a max-type system of difference equations. *Turk J Math*, 41: 412-425, 2017.
- [4] E. A. Grove, G. Ladas. Periodicities in Nonlinear Difference Equations. Chapman & Hall/CRC, 2005.
- [5] C. Qian. Global attractivity in a nonlinear difference equation and applications to a biological model. *Int J Difference Equ*, 9: 233-242, 2014.
- [6] Y. N. Raffoul, C. C. Tisdell. Positive periodic solutions of functional discrete systems and population models. *Adv Difference Equ*, 3: 369-380, 2005.
- [7] T. Sauer. Global convergence of max-type equations. J Difference Equ Appl, 17: 1-8, 2011.

Inverse boundary value problem in a perturbed strip

I. Khélifa ^{1*}, L. Chorfi ²

1*,2 LMA, Université Badji Mokhtar, Annaba Imene_Ghoz@yahoo.fr, l_chorfi@hotmail.com

Abstract: We consider the inverse problem to recover a part γ of the boundary of a perturbed strip Ω from a pair of Cauchy data of an harmonic function u in Ω . This problem arises in electrostatic, thermal imaging (detecting a corrosion surface, nondestructive testing...)

Keywords:	
MSC 2010:	

- [1] F. CAKONI and R. KRESS, *integral equations for inverse problems in corrosion detection from partial cauchy data*, Inverse Problems and Imaging, 1, 2, 2007.
- [2] R. Kress, "Linear Integral Equations", Applied Mathematical Sciences, Volume 82, No 1, Springer, NY (2014).
- [3] R. Kress and W. Rundel *Nonlinear integral equations and the iterative solution for an inverse boundary value problem,* Inverse Problems, 21, 2005.

Stabilization of the wave equation with a delay term in the nonlinear internal feedback

W. Ghecham 1* , S. E. Rebiai 2 and F. Z. Sidi Ali 3

 1* LTM, University of Batna 2 2 LTM, University of Batna 2 and 3 LTM, University of Batna 2 e-mail: 1* wassilaghechamm@gmail.com 2 rebiai@hotmail.com 3 fatima-sidiali05@hotmail.fr

Abstract: The aim of this paper is to study the stability of the multidimensional wave equation with a delay term in the nonlinear internal feedback.

Keywords: Wave equation; Nonlinear internal feedback; Time delay; Stabilization

MSC 2010: 35L05; 93D15

- [1] R. Datko, Not all feedback stabilized hyperbolic systems are robust with respect to small time delays in their feedbacks. *SIAM Journal on Control and Optimization*, 26, 697–713, 1988.
- [2] R. Datko, J. Lagnese and M. P. Polis, An example on the effect of time delays in boundary feedback stabilization of wave equations. *SIAM Journal on Control and Optimization*, 24, 152–156, 1986.
- [3] W.J. Liu and E. Zuazua, Decay Rates for Dissipative Wave equations. *Ricerche di Matematica*, XLVIII, 61-75, 1999.
- [4] S. Nicaise and C. Pignotti, Stability and instability results of the wave equation with a delay term in the boundary or internal feedbacks. *SIAM Journal on Control and Optimization*, 45, 1561-1585, 2006.
- [5] S. Nicaise and S. Rebiai, Stabilization of the Schrödinger equation with a delay term in boundary feedback or internal feedback. *Portugal Math.*, 68, 19–39, 2011.
- [6] G-D. Xu, S-P. Yung and L-K. Li, Stabilization of wave systems with input delay in the boundary control. *ESAIM Control Optim. Calc.Var.*, 12, 770–785, 2006.

A history-dependent problem for elastic-viscoplastic materials with internal state variable

L. Chouchane 1*

1* Laboratoire d'Analyse Mathématique et Applications (LAMA), Université Sétif 1 (Algérie)
e-mail: 1*1_chouchane@yahoo.fr

Abstract: We consider a mathematical model which describes the quasistatic contact between an elastic-viscoplastic body and a deformable obstacle. The contact is frictional and it is modelled with normal compliance. The material's behavior is modelled by an elastic-viscoplastic constitutive law with internal state variable. We derive a variational formulation to the problem and we prove that it has a unique weak solution. The proof is based on a recent result on history-dependent quasivariational inequalities. Finally, a fully discrete sheme is proposed and error estimates are derived.

Keywords: Contact Problem.; History-dependent quasivariational inequalities; Elastic-viscoplastic materials; internal state variable; Numerical sheme

MSC 2010: 65K15, 74D10, 74S05, 74S20

- [1] M. Barboteu, A. Matei, M. Sofonea, Analysis of quasistatic viscoplastic contact problems with normal compliance, Q. J. Mech. Appl. Math. (65) 555-579 (2012).
- [2] L. Chouchane and L. Selmani, A Frictionless elastic-viscoplastic contact problem with normal compliance, adhesion and damage, Studia Univ. Babes-Bolyai, Mathematica, **LIV** (1) 43-64 (2009).
- [3] W. Han, M. Sofonea, On a dynamic contact poroblem for elastic-viscoplastic materials, Appl. Numer. Math. (57) 498-509 (2007).
- [4] W. Han, M. Sofonea, Quasistatic Contact Problems in Viscoelasticity and Viscoplasticity- Studies in Advanced Mathematics, vol 30, American Mathematical Society-International Press (2002).
- [5] M. Sofonea, W. Han, M. Shillor, Analysis and Approximation of Contact Problems with Adhesion or Damage- Chapman & Hall/ CRC, New York (2006).
- [6] M. Sofonea, K. Kazmi, M. Barboteu, W. Han, Analysis and numerical solution of a piezoelectric frictional contact problem, Appl. Math. Model. (36) 4483-4501 (2012).
- [7] M. Sofonea, A. Matei, History-dependent quasivariational inequalities arising in contact mechanics, Eur. J. Appl. Math. (22) 471-491 (2011).
- [8] M. Sofonea, F. Patrulescu, A. Farcas, A viscoplastic contact problem with normal compliance, unilateral constraint and memory term, Appl. Math. Opt., **69** (issue 2) 175-198 (2014).
- [9] M. Sofonea, F. Patrulescu, A viscoelastic contact problem with adhesion and surface memory effects, Math. Model. Anal., **19** (issue 5) 607-626 (2014).

.

Robust Analysis of Retrial Queues

Lounes Ameur^{1*}, Louiza Berdjoudj² and Karim Abbas³

^{1*} Department of Mathematics, Applied Mathematics Laboratory, University of Bejaia, Algeria
 ²Research Unit LaMOS, University of Bejaia, Algeria and ³ Research Unit LaMOS, University of Bejaia, Algeria

e-mail: 1* lounes.ameur@univ-bejaia.dz 21_berdjoudj@yahoo.fr 3kabbas.dz@gmail.com

Abstract: In this paper, we investigate the M/M/1 retrial queue with finite size orbit, working vacation interruption and classical retrial policy, where we show how parameter uncertainty can be incorporated into the model. We will assume that the retrial rate to be a random variable of distribution which obtained from sample statistic. Therefore, we illustrate the impact of computing the performance measures of the model with an analysis of parameter uncertainty. Specifically, we will provide an approach based on Taylor series expansion for Markov chains for evaluating the uncertainty in the performance measures of the considered queuing model. We develop an algorithm for evaluating the expected value and the variance of different performance measures under the assumption that the retrial rate is computed with uncertainty. Several numerical examples are carried out to illustrate the accuracy of the proposed approach.

Keywords: Retrial queues; Taylor-series expansions; Parameter uncertainty; Robustness analysis; Algorithm.

MSC 2010:

- [1] G.I. Falin and J.G.C. Templeton. Retrial Queues. Chapman and Hall, London, 1997.
- [2] N. Tian and Z. G. Zhang. Vacation Queueing Models-Theory and Applications. *Springer*, New York, NY, USA, 2006.
- [3] J. R. Artalejo and A. G´ omez-Corral. Retrial Queueing Systems. *A Computational Approach, Springer, Berlin, Germany*, 2008.
- [4] S.Ouazine and K.Abbas. A functional approximation for retrial queues with two way communication. *Springer Science+Business Media New York*, 2015.

free surface flows over a trapezoidal obstacle with surface tension and gravity

Abdelkader Laiadi^{1*}, Abdelkrim Merzougui²

^{1*} Department of Mathematics, Biskra University, Algeria
²Department of Mathematics, M'sila University, Algeria

e-mail: 1* laiadhi_a@yahoo.fr 2 shamdadz@yahoo.fr

Abstract: Steady two-dimensional flows over a trapezoidal obstacle under the effects of gravity and surface tension in water of a constant depth, and in the presence of a uniform stream. The fluid is treated as inviscid and incompressible. The flow is assumed irrotational. The problem is solved numerically by using the boundary integral equation technique, based on Cauchy integral formula . It is shown that, for both supercritical and sub-critical flows, solutions depend on three parameters: (i) the *Froude* number F, (ii) the *Weber* number α (iii) the angle of obstacle γ . Multiple families of solutions are found to exist for particular values of the precedent three parameters.

Keywords: Free surface flow; potential flow; Weber number; surface tension; Froude number; integro-differential equations

MSC 2010: 76B10; 76C05; 76M25

- [1] J. Asavanant and J. M. Vanden-Broeck, Non-linear free-surface flow emerging from vessels and flows under a sluice gate. *J. Austral. Math. Soc. Ser. B* 38(1996), 63-86.
- [2] B. J. Binder, F. Dias and J.-M. Vanden-Broeck, Steady free-surface flow past an uneven channel bottom. *Theor. Comput. Fluid Dyn.* (2006) 20: 125–144.
- [3] Lamb, H. Hydrodynamics. 6th ed. Dover, New York, 1957
- [4] M. B. Abd-el-Malek and S. N. Hanna, M. T. Kamel, Approximate solution of gravity flow from a uniform channel over triangular bottom for large Froude number, *Appt. Math. Modelling*. (1991), Vol. 15, January 25.
- [5] Forbes, L. K. and Schwartz, L. M, Free-surface flow over a semicircular obstruction. *J. Fluid Mech.* (1982), 114, 299-314.

bifurcation and global dynamics of a predator-prey model with herd behavior and quadratic predator harvesting.

SOUNA FETHI^{1*}, LAKMECHE ABDELKADER²

^{1*}Biomathematics Laboratory, sba ²Biomathematics Laboratory, sba e-mail: ^{1*}fethiou91@gmail.com ²lakmeche@yahoo.fr

Abstract:

Animals grouping together is one of the most interesting phenomena in population dynamics and different functional responses as a result of prey-predator forming groups have been considered by many authors in their model, in this work we investigate the dynamics of predator- prey model with quadratic predator hervesting and in the presence of a herd behavior. We examine the boundedness of the system and the related dynamical behavior of the model. We also stady the global stability of the axial and interior equilibria. After the analysis of the model, we observe the presence of a transcritical bifurcation for the axial equilibrium and a Hopf bifurcation occur for the interior equilibrium in this case a limit cycles appear, we will give some numerical simulations to illustrate our theorical analysis.

Keywords: Herd behavior; hopf bifurcation; Groupe defense; Limit cycles; Quadratic predator harvesting; supercritical Hopf bifurcation; global dynamics.

MSC 2010:

- [1] Ajraldi, V. Pittavino, M. and Venturino, E. *Modeling herd behavior in population systems*. Nonlinear Analysis: Real World Applications, 2011, vol. 12, no 4, p. 2319-2338.
- [2] T. M. Asfaw, Dynamics of Generalized Time DependentPredator Prey Model with Nonlinear Harvesting, Int. Journal of Math. Analysis, 3(30) (2009), 1473 1485.
- [3] D. Xiao, W. Li and M. Han, Dynamics in a ratio-dependent predator-prey model with predator harvesting, J. Math. Anal. Appl. 324L (2006) 14-29
- [4] A.D. Bazykin, F.S. Berezovskaya, G.A. Denisov and YU.A. Kuznetzov, The influence of predator saturation effect and competition among predators on predator-prey system dynamics, Ecological Modelling, 14 (1981) 39-57

Use of Statistics in Record keeping for improving Small Business Enterprises in Tanzania

Peter E. Tengaa

College of Business Education(CBE), Tanzania e-mail:tengaason@yahoo.com, emedason@gmail.com

Abstract: Despite the fact that it has been truly said that what is wrong with education cannot be fixed with technology; but rather Integrating statistics in record keeping has become a great concern for many people in developing countries like Tanzania, there is no doubt that current life is surely dominated by technology. There is widespread acknowledgment of the need to use statistical tools in education as we enter the era of globalization where the free flow of information via satellite and the internet is embracing the world. A great deal of instructional and managerial work for many small business owners in Tanzania is still carried out without any track of proceedings. This paper, for that basis, identifies benefits a small business drives from proper records keeping. Furthermore this study also critically examines record keeping basis for small business and highlights the record keeping tools. The major challenge on the use of statistics in Tanzania high cost of tools like computer; lack of human skills and knowledge in statistics and lack of relevant software. Sampling techniques were used (systematic, stratified and random samples) and Sample size of 60 respondents were used as Questionnaire and interviews were used to collect data whilst on data analysis mathematical software (matrix laborary, mathematica 9 and excel) were employed also Statistical package (SPSS) were employed to analyze the data. The preliminary results of the study show that, the most business are using simple manila folders for record keeping whilst most of small business has almost little knowledge on the online electronic system for record keeping.

Keywords: Use of Statistics, Record keeping, Record keeping tools and software.

MSC 2010:

- [1] G.I. Falin and J.G.C. Templeton. Retrial Queues. Chapman and Hall, London, 1997.
- [2] N. Tian and Z. G. Zhang. Vacation Queueing Models-Theory and Applications. *Springer*, New York, NY, USA, 2006.
- [3] J. R. Artalejo and A. G´ omez-Corral. Retrial Queueing Systems. *A Computational Approach, Springer, Berlin, Germany*, 2008.
- [4] S.Ouazine and K.Abbas. A functional approximation for retrial queues with two way communication. *Springer Science+Business Media New York*, 2015.

Q-matrix method for the analysis and performance evaluation of unreliable M/M/1/N queueing model

E. Afroun^{1*}, **D. Aïssani**² and **D. Hamadouche**³

 1* , Research Unit LaMOS (Modeling and Optimization of Systems), University of Bejaia, 06000, Algeria 1* , Laboratory of Pure and Applied Mathematics, University of Tizi-Ouzou, 15000, Algeria.

e-mail: 1* afrounfairouz@gmail.com 2 lamos_bejaia@hotmail.com 3 djhamad@yahoo.fr

Abstract: In the present work, we study an M/M/1/N queuing system with multiple vacations, Bernoulli feedback, balking, reneging and retention of the impatient customers and the possibility of a server breakdown and repair. Firstly, by using of the Q-matrix (infinitesimal generator matrix) method we have obtained the steady-state probabilities of the system. After that, some useful performance measures are obtained. Finally, the influence of the reliability parameters on the performance measures of the system has been examined numerically.

Keywords: Queueing models; Reliability; Markov process; Performance measures; Infinitesimal generator.

MSC 2010: 60K25; 90B22; 68M20.

- [1] R. Kumar and S. Sharma. A Markovian feedback queue with retention of reneged customers. *Advanced Modeling and Optimization*, 14(3): 668–681, 2012.
- [2] K-H. Wang and Y-C. Chang. Cost analysis of a finite M/M/R queueing system with balking, reneging and server breakdowns. *Mathematical Methods of Operations Research*, 56: 169–180, 2002.
- [3] D. Yue, Y. Zhang and W. Yue. Optimal performance analysis of an *M/M/1/N* queue system with balking, reneging and server vacation. *International Journal of Pure and Applied Mathematics*, 28(1): 101-115, 2006.

Strong Stability Estimate in a Periodic Review Inventory Model

Nedjma Aiane^{1*}, Fazia Rahmoune² and Djamil Aissani³

Abstract: Real-life inventory control problems are often very complicated and are solved only by approximations. Therefore, it is very important to justify this approximation and to estimate the resulting error. This paper presents an approximation method in a periodic inventory control model (R,s,lQ) with instant delivery, based on a strong stability approach. By disturbing the distribution of demand, we obtain quantitative estimates of the stationary distribution. Then, a numerical example can be presented to illustrate the performance of the approach used.

Keywords: Inventory control; Strong Stability; Markov chain; perturbation; Approximation.

MSC 2010: 60J05; 15A51; 60J10; 65F35; 65F20; 12X34; 56Y78

- [1] B. Rabta and D. Aïssani. Estimate of the Strong Stability in an (*R*; *s*; *S*) Inventory Model. *Journal of Mathematical Sciences*, *131* (3) (2005), 56695673.
- [2] B. Rabta and D. Aïssani. Stability Analysis in an Inventory Model. Theory of Stochastic Processes, 10 (26) (2004), 129135.
- [3] Z. Mouhoubi and D. Aïssani. New Perturbation Bounds for Denumerable Markov Chains. *Linear Algebra and its Applications*, 432 (2010), 16271649.

^{1*} LaMOS, Laboratory of Modelling and Optimization of Systems, University of Bejaia, 06000, Bejaia, Algeria.

²LaMOS, Laboratory of Modelling and Optimization of Systems, University of Bejaia, 06000, Bejaia, Algeria.

³ LaMOS, Laboratory of Modelling and Optimization of Systems, University of Bejaia, 06000, Bejaia, Algeria.

 $^{^{1*}}$ aianenedjma@hotmail.com, 2 rahmouneaoudia@gmail.com, 3 djamilaissani@hotmail.com

TAYLOR SERIES FOR SOLVING LINEAR AND HAMMERSTEIN ILL-POSED VOLTERRA PROBLEMS VIA ITERATIONS METHOD

Somia Guechi

1* Laboratory of Pure and Applied Mathematics, Department of Mathematics, University of Msila, 28000, Algeria.
guechi.s2711@gmail.com

Abstract: There exist a number of problems arising in many areas of mathematics, science and technology belong to a class of ill-posed problems, and the integral equations of the first kind are considered ill-posed problems. In this work, we convert linear and nonlinear Volterra integral equations of the first kind to well-posedness problems by simple technique, then we apply the variational iteration method for giving the solutions of these ill-posed problems. Finally, we present two examples which show the performance and efficiency of our technique.

- [1] M. Nadir, **S. Guechi**, The combination of modified Simpson and Newton-Kantorovich methods for solving nonlinear integral equations, *Advanced Studies in Contemporary Mathematics*. 26 (3), 547-554, 2016.
- [2] M. Nadir, **S. Guechi**, Integral equations and their relationship to differential equations with Initial Conditions, *General Letters in Mathematics*. 1(1), 23-31, 2016.
- [3] M. Nadir, **S. Guechi**, Solutions of integral equations in the Urysohn form via some numerical methods, *The International Arab Conference on Mathematics and computations* (IACMC-2016) Zarqa (Jordan), May 18-21, 2016.
- [4] L. Xu. Variational iteration method for solving integral equations. *Computers and Mathematics with Applications*, 54 (2007) 1071–1078.
- [5] A. Wazwaz. *Linear and nonlinear integral equations, methods and applications*. Higher Education Press Springer-Verlag Berlin Heidelberg, London, New York, 2011.
- [6] T. Tang, X. Xu, and J. Cheng. On spectral methods for Volterra Integral Equations and the convergence analysis. *Journal of Computational Mathematics*, 26 (6), 825-827, 2008.
- [7] J. Biazar, and H. Ebrahimi. Variational Iteration Method for Fredholm integral equations of the second kind. Iranian Journal of Optimization, 1, 13-23, 2009.
- [8] M. G. Porshokouhi, and B. Ghanbari. Variational Iteration Method for Solving Volterra and Fredholm Integral Equations of the Second Kind, *ICSRS Publication*, 2 (1), 143-148, 2011.
- [9] B. Batiha, M. S. M. Noorani, and I. Hashim. Numerical Solutions of The Nonlinear Integro-Differential Equations. Int. J. Open Problems. *Compt. Math*, 1 (1), 34-42, 2008.
- [10] A. Golbabi, and K. Sayevand. An efficient applications of He's variational iteration method based on a reliable modification of Adomian algorithm for nonlinear boundary value problems. *J. Nonlinear Sci. Appl*, 3 (1), 163-167, 2010.
 2006.

History-dependent frictional contact problems

S. Latreche 1* and L. Selmani 2

e-mail: 1*latreche.soumiaa@gmail.com 2maya91dz@yahoo.fr

Abstract: We consider two mathematical models describing the frictional contact between an elastic-viscoplastic body and a foundation. In both models the process is assumed to be quasistatic. The contact is described with a normal compliance or with normal damped response associated to a version of Coulomb's law of dry friction. We derive a variational formulation of the models, which is in the form of a history-dependent quasivariational inequality for the velocity field. Then we prove the unique weak solvability of each problem, the proof is based on arguments of history-dependent quasivariational inequalities. We also study the dependence of the solution of the first problem with respect to the data and prove a convergence result.

Keywords: History-dependent operator; Elastic-viscoplastic material; Coulomb's law friction; normal compliance; normal damped response; weak solution

MSC 2010: 74M10; 74M15; 74G30; 74D10

- [1] L. Selmani. A frictionless contact problem for elastic-viscoplastic materials with internal state variable. *Applicationes Mathematicae*, 40: 1–20, 2013.
- [2] M. Sofonea and A. Matei. History-dependent quasi-variational inequalities arising in contact mechanics. *European Journal of Applied Mathematics*, 22, 2011.
- [3] M. Sofonea and A. Matei, *Mathematical models in contact mechanics*, Lecture Note Ser., Cambridge University Press, 2012.

^{1*} Department of Mathematics, University of Setif, Setif 19000, Algeria

² Department of Mathematics, University of Setif, Setif 19000, Algeria





Workshop 2

Day 1: October 09, 2017

- M'hamed KESRI. On the solution of an integro-partial differential system in spherical symmetry. University of Sciences and Technology Houari Boumediene, BAB EZZOUAR Algiers, Algeria.
- Allal MEHAZZEM. Dynamic of Discrete Nonlinear Schroedinger Equation with Long-Range Interaction. Larbi Tebessi University, Tebessa, Algeria.
- Abdelhakim NINOUH. Existence of optimal controls for systems driven by FBDSDEs. Mohamed Khider University, Biskra, Algeria.
- Rima GUERBANE. Primal-dual method of linear programming with hybrid direction. Abderrahmane Mira University, Bejaia, Algeria.
- GUESBA Messaoud. Some singular value inequalities for compact normal operators. Hamma Lakhdar University, El Oued, Algeria.
- Amina ZERARI. Feasible interior point method for linear semidefinite programs. Ferhat Abbas University, Setif, Algeria.
- Amirouche BERKANI. Existence of solutions and stabilization of a viscoelastic rotating Euler-Bernoulli beam. University of Sciences and Technology Houari Boumediene, BAB EZZOUAR Algiers, Algeria.
- Leila AIT KAKI. Some results for a fixed point theory in Banach algebras. ENS Constantine, Algeria.

Day 2: October 10, 2017

- Omar BENNICHE. M-dissipative differential inclusions in arbitrary Banach spaces. Jilali Bounaama University, Khemis Miliana, Algeria.
- Bilal SAOUDI. Factorization of p-adic meromorphic functions. Mohamed Seddik Ben Yahia University, Jijel, Algeria.
- Selma KOUICEM. Singularities of some transmission problems. Abderrahmane Mira University, Bejaia, Algeria.
- Hamza REBAI. Weak Solutions for Boundary Value Problem of Anti-Periodic Fractional Differential Equation in Banach Spaces. University of Sciences and Technology Houari Boumediene, BAB EZZOUAR Algiers, Algeria.
- Nadjet ABADA. Existence Results for Systems of Integral Equations. ENS Constantine, Algeria.
- Sihame BRAHIMI. A Well Posedness Result of a Characteristic Initial Boundary Value Problem with Lipschitz Coefficients. Mostefa Ben Boulaïd University, Batna, Algeria.
- \bullet Samira LECHEHEB. Existence of solutions to a Elleptic p-Laplace Equation. August 20, 1955 University, Skikda Algeria.
- Soraya LABIDI. Blow up of solution for a Kirchhoff equation with fractional boundary dissipat ion. Badji Mokhtar University, Annaba, Algeria.





Workshop 2

Day 3: October 11, 2017

- Abdallah MENAD. On Diffusion models for population dynamics with individual behavior at boundaries. Abdelhamib Ibn Badis University, Mostaganem, Algeria.
- Zohra BOUTEFFAL. Global Uniqueness Results for Impulsive Fractional Partial Hyperbolic Differential Equations with Finite Delay. Mustapha Stambouli University, Mascara, Algeria.
- Mohamed BEZZIOU. Near, approximate and exact viability for fractional differential equation. Jilali Bounaama University, Khemis Miliana, Algeria.
- Ibtissem DJERRAR. Radially symmetric inverse heat conduction problem. Badji Mokhtar University, Annaba, Algeria.
- Abdelkrim ZEKRI. On the boundary value problem with integral conditions. Freres Mentouri University, Constantine, Algeria.
- Mohamed el Amine BENCHEIKH LE HOCINE. An L[∞]-error estimate for an approximation of the solution of a parabolic variational inequality with nonlinear source terms. Amine Elokkal El Hadj Moussa Egakhamouk University Centre, Tamanrasset, Algeria.
- Abdelkarim KELLECHE. Controllability of Some Degenerate Wave Equations. Jilali Bounaama University, Khemis Miliana, Algeria.
- Soraya REKKAB. An Analysis of gradient compensation with minimum energy. Freres Mentouri University, Constantine, Algeria.

On the solution of an intego-differential system in spherical symmetry

KESRI M'hamed^{1*}

 $1*$ Mathematics Department, University of Science and Technology Houari Boumediene (USTHB), Algiers, Algeria.

e-mail: 1*mkes33dz@yahoo.fr

Abstract: Consider a set of particles with the same mass, which they interact without collision. To descript the problem, we introduce a time dependant distribution function f on the phase space, satisfying a continuity equation, the Vlasov or Liouville equation coupled to the field equation with source term:

$$\frac{\partial f}{\partial t} + \overrightarrow{v} \frac{\partial f}{\partial \overrightarrow{r}} - \frac{\partial V}{\partial \overrightarrow{r}} \frac{\partial f}{\partial \overrightarrow{v}} = 0 \tag{1}$$

$$\Delta V = 4\pi G \rho \tag{2}$$

where $f = f(\vec{r}, \vec{v}, t)$, \vec{r} the position vector, with module r, $\vec{v} \in \mathbb{R}^3$ the kinetic vector, $t \in \mathbb{R}^+$ the time, $V = V(\vec{r}, t)$ the potential of gravitation, G the gravitational constant. $\rho = \int\limits_{\vec{v}} f d\vec{v}$ represent mass density of the particles.

The objective of this work is to study the nonlinear integro-differential system in case of symmetrical symmetry and giving the numerical solutions.

Keywords: Integro-differential system; Liouville-Boltzmann equation; spectral equation; Poisson equation.

MSC 2010: 45K05; 76P05; 42B10; 85A05; 45G15.

Dynamic of Discrete Nonlinear Schroedinger Equation with Long-Range Interaction

Allal. MEHAZZEM^{1,2} and Mohammed-Salah. ABDELOUAHAB²

 1 Larbi Tebessi University, Tebessa. 2 Abdelhafid Boussouf University Center, Mila e-mail: 1,2 a.mehazzem@centre-univ-mila.dz 2 m.abdelouahab@centre-univ-mila.dz

Abstract: We consider a non-linear oscillator chain with a long-range interaction through a potential proportional to $1/l^{1+\alpha}$ with fractional $0 < \alpha < 2$ and l as a distance between oscillators. In the continues limit the systems dynamics is described by the Fractional Nonlinear Schroedinger equation (called FNLS). The considered chain consists of torsionally coupled, damped, parametrically driven pendulums. We study different spatio-temporal patterns of the dynamics and show transition to chaos.

Keywords: Discrete Shroedinger Equation; Long Range Interacion; Spatiotemporal Chaos; Solitons

MSC 2010:

- [1] Alexeeva, NV and Barashenkov, IV and Pelinovsky, DE. Dynamics of the parametrically driven NLS solitons beyond the onset of the oscillatory instability. *Nonlinearity*, 1: 103, 1999.
- [2] Zaslavsky, GM and Edelman, M and Tarasov, VE. Dynamics of the chain of forced oscillators with long-range interaction: From synchronization to chaos. *CHAOS*, 17: 043124, 2007.
- [3] Korabel, Nickolay and Zaslavsky, George M. Transition to chaos in discrete nonlinear Schrödinger equation with long-range interaction. *Physica A: Statistical Mechanics and its Applications*, 378: 223–237, 2007.
- [4] Robinson, W. M. L. *Solitons, spatiotemporal chaos and synchronization in arrays of damped driven nonlinear oscillators.* Doctoral dissertation, University of Cape Town, 2008.
- [5] Ablowitz, M. J., Prinari, B., & Trubatch, A. D. *Discrete and continuous nonlinear Schroedinger systems (Vol. 302)*. Cambridge University Press, 2004.
- [6] Chong, C. Modeling Optical Technologies with Continuous and Discrete Nonlinear Schrödinger Equations. Doctoral dissertation, Karlsruhe, Univ., Diss., 2009.

Existence of optimal controls for systems driven by FBDSDEs

abdelhakim NINOUH¹ *(Avec Boulakhras gherbal² †

Universty mohamed khider biskra

e-mail: 1* math.n.abdalhkimt Qgmail.com 2 bgherbalt Qyahoo.fr

Abstract: We prove the existence of optimal relaxed controls as well as strict optimal controls for systems governed by non linear forward–backward doubly stochastic differential equations (FBDSDEs). Our approach is based on weak convergence techniques for the associated FBDSDEs in the Jakubowski Stopology and a suitable Skorokhod representation theorem.

Keywords:

MSC 2010: non linear forward–backward doubly stochastic differential equations; relaxed control; strict control; weak convergence; Jakubowski S-topology

- [1] K. Bahlali, B. Gherbal, B. Mezerdi, Existence of optimal controls for systems driven by FBS-DEs,Systems and Control Letters, Vol. 60 (2011), 344-349.
- [2] Pardoux E., Peng S. (1994): Backward doubly stochastic differential equations and systems of quasilinear SPDE's. Probab. Theory Relat. Fields, Vol. 98, 209-227.
- [3] A. Jakubowski, A non-Skorohod topology on the Skorohod space, Electron. J. Probab. 2 (1997) 1–21
- [4] P.A. Meyer, W.A. Zheng, Tightness criteria for laws of semimartingales, Ann. Inst. H. Poincaré, Probab. Statist. 20 (4) (1984) 217–248.
- [5] J. Yong and X.Y Zhou, Stochastic controls, Hamiltonian Systems and HJB Equations, Springer, New York, (1999).

^{*}University Med Khider, Po. Box 145, Biskra, Algeria. bgherbal@yahoo.fr.

[†]Qassim University, P.O.Box 6644, Saudi Arabia, E-mail: hsien@qu.edu.sa.

Primal-dual method of linear programming with hybrid direction.

R. Guerbane 1* and **M.O.** Bibi 2

1*LAMOS, Laboratory of Modelling and Optimization of Systems, University of Bejaia, 06000, Bejaia, algeria
 2 LAMOS, Laboratory of Modelling and Optimization of Systems, University of Bejaia, 06000, Bejaia, algeria

e-mail: 1* rima.guer@gmail.com 2 mobibi.dz@gmail.com

Abstract: In linear programming, the conjugation of primal and dual methods is of capital importance in the search for efficient algorithms of resolution. In this work, we are interested in the adaptive method with hybrid direction for the resolution of linear and bounded variables. Using this hybrid direction, we propose to study the increase of the dual function in order to obtain new conditions of optimality.

Keywords: Linear Programming; duality; Hybrid primal direction; Adapted primal-dual method.

MSC 2010: 90C05

- [1] R. Gabasov, F. M. Kirillova and S. V. Prischepova. *Optimal Feedback Control*. Springer-Verlag, London, 1995.
- [2] M.O.Bibi and M.Bentobache. A hybrid direction algorithm for solving linear programs. *Internationel Journal of Computer Mathematics*, 92, 201-216, 2015.
- [3] M.Bentobache, On mathematical methods of linear and quadratic programming . *PhD thesis, University of Bejaia*, *Bejaia*, 2013.

Some singular value inequalities for compact normal operators

Messaoud GUESBA¹

1* university of El-oued - Algeria

e-mail: guesbamessaoud2@gmail.com

Abstract: In this work we will prove singular value inequality for compact normal operator, which states that if A is compact normal operator on a complex separable Hilbert space H, where $A = A_1 + iA_2$ is the cartesian decomposition of A, then

 $\frac{1}{\sqrt{2}}s_j(A_1 + A_2) \le s_j(A) \le s_j(|A_1| + |A_2|), \text{ for } j = 1, 2, \dots$

Moreover, we prove inequality which states that if *A* is compact normal operator, then

$$\sqrt{2}s_j(A_1 + A_2) \le s_j(A + iA^*) \le 2s_j(A_1 + A_2)$$
, for $j = 1, 2,$

Also, application of the inequalities are given.

Keywords: Compact operator, Normal operator, Singular value, Inequality

MSC 2010: 90C51; 65K05

- [1] W. Audeh, F. Kittaneh, Singular Value Inequalities for Compact Operators, Linear Algebra Applications, Vol. 437, (2012) 2516-2522.
- [2] R. Bhatia, Matrix Analysis, GTM169, Springer-Verlag, New York, 1997.
- [3] R. Bhatia, F. Kittaneh, On the singular values of a product of operators, SIAM J. Matrix Anal. Appl. 11 (1990) 272-277.
- [4] R. Bhatia, F. Kittaneh, The matrix arithmetic-geometric mean inequality revisited, Linear Algebra Appl. 428 (2008) 2177-2191.
- [5] R. Bhatia, F. Kittaneh, The singular values of A + B and A + iB, Linear Algebra Appl. 431 (2009) 1502-1508.
- [6] H. Brezis, Analyse fonctionnelle, Théorie et application, Masson, Paris, 1992.
- [7] J.B. Conway, A Course in Functional Analysis, (1985) New York, Spring-Verlag.
- [8] N. Dunford and J. Schwartz, Linear Operators, Part III, Wiley, New York, 1971.
- [9] I. Gohberg, S. Goldberg, M.A. Kaashoek, Basic of Classes of Linear Operators, Birkhäuser Verlag, Basel, 2003.

Feasible interior point method for linear semidefinite programs

A. Zerari^{1*} and D. Benterki²

^{1*} LMFN, Université Ferhat Abbas Sétif1 and ² LMFN, Université Ferhat Abbas Sétif1 e-mail: ^{1*} amina.amina.aa430@gmail.com ² djbenterki@univ-setif.dz

Abstract: This work concerns the numerical performances study of a feasible primal polynomial algorithm with two phases for semidefinite programming. The iteration cost depends on the economic computation dominated by the displacement direction, whereas the convergence rate depends on the value of the displacement step. In this sense, we give three new alternatives giving an effective displacement step. The numerical experimentations established consolidate the efficiency of the proposed algorithm.

Keywords: Semidefinite programming; interior point methods; projective algorithm

MSC 2010: 90C51; 65K05

- [1] F. Alizadeh. Interior point methods in semidefinite programming with applications to combinatorial optimization. SIAM J. Optim, 5:13–51, (1995).
- [2] D. Benterki, J.P. Crouzeix and B. Merikhi. A numerical feasible interior point method for lineair semidefinite programs. Rairo operations research, 41: 49–59, (2007).
- [3] D. Benterki. Résolution des problème de programmation semi-définie par des méthodes de réduction du potentiel. thèse de Doctorat d'état, *Université Ferhat Abbas*, Sétif-1, (2004).

Existence of solutions and stabilization of a viscoelastic rotating Euler-Bernoulli beam

Amirouche Berkani^{1*} and Abdelkarim Kelleche²

^{1*} Faculty of Mathematics, University of Sciences and Technology Houari Boumediene, BP 32 El Alia 16111 Bab Ezzouar, Algiers, Algeria.

²Faculte des Sciences et de la Technologie, Universite Djilali Bounâama, Route Theniet El Had, Soufay, Khemis Miliana 44225, Algeria.

e-mail: 1*aberkanid@gmail.com 2kellecheabdelkarim@gmail.com

Abstract: In this work, we consider a viscoelastic beam which has one end fixed to a rotated motor in a horizontal plane and to a tip mass at the other end. We establish the well-posedness using the Faedo-Galerkin method and, then investigate the exponential stability of system under a suitable control force, for a large class of kernels with weaker conditions used usually in viscoelasticity.

Keywords: Vibration control; rotating Euler-Bernoulli beam; stability; viscoelasticity.

MSC 2010: 35L20; 65N30; 74G25; 74G30; 93D15; 93D20.

- [1] Berkani A, Tatar N-e, Khemmoudj A. *Control of a viscoelastic translational Euler-Bernoulli beam.* Math Methods Appl Sci. 2017;40:237–254.
- [2] Berkani A, Tatar N-e, Kelleche A. *Vibration control of a viscoelastic translational Euler-Bernoulli beam.* J Dyn Control Syst. 2017:DOI 10.1007/s10883-017-9364-9.
- [3] Berkani A. *Stabilization of a viscoelastic rotating Euler-Bernoulli beam.* Math Methods Appl Sci. (to appear).
- [4] Kelleche A, Berkani A, Tatar N-e. *Uniform stabilization of a nonlinear axially moving string by a boundary control of memory type.* J Dyn Control Syst. 2017:DOI 10.1007/s10883-017-9370-y.
- [5] Christensen RM. *Theory of viscoelasticity: An introduction*. Academic Press, New York/London 1982.
- [6] Coleman BD, Noll W. Foundations of linear viscoelasticity. Rev Modern Phys. 1961;33:239-249.
- [7] Tatar N-e. Arbitrary decays in linear viscoelasticity. J Math Phys. 2011;52:013502.

Some results for a fixed point theory in Banach algebras

L. Ait Kaki ^{1*}, N. Abada ²

 1* ENS de Constantine Assia Djebbar 2 ENS de Constantine Assia Djebbar e-mail: 1* leileitkaki@yahoo.fr 2 n65abada@yahoo.fr

Abstract: We introduce a class of Banach algebras satisfying certain sequential condition (P) and we prove fixed point theorems for the sum and the product of nonlinear weakly sequentially continuous operators. In order to obtain existence results for equations in question, we apply the technique of measures of noncompactness and extend the the results given in [J. Garcia-Falset, K. Latrach, E. Moreno-Galvez and M. A. Taoudi, Schaefer-Krasnoselskii fixed point theorems using a usual measure of weak noncompactness, J. Diff. Equ., 252 (2012), 3436-3452.] to Banach algebra. An application on some nonlinear functional integral equations in the Banach algebra of real functions is given.

Keywords: Banach algebra, Weakly compact set, Weakly sequentially continuous operator, Measure of weak noncompactness, Fixed point theorem.

MSC 2010: 47H08, 47H09

- [1] J. Garcia-Falset, K. Latrach, E. Moreno-Galvez and M. A. Taoudi, Schaefer-Krasnoselskii fixed point theorems using a usual measure of weak noncompactness, J. Diff. Equ., 252 (2012), 3436-3452.
- [2] Jeribi A, Krichen B. Nonlinear Functional Analysis in Banach Spaces and Banach Algebras: Fixed Point Theory under Weak Topology for Nonlinear Operators and Block Operator Matrices with Applications. Monographs and Research Notes in Mathematics. Boca Raton, FL, USA: CRC Press, (2015).

M-dissipative differential inclusions in arbitrary Banach spaces

Omar. BENNICHE^{1*},

1* University of DJILALI BOUNAAMA, KHEMIS MILIANA, ALGERIA

e-mail: 1*obenniche@gmail.com

Abstract: We consider perturbations of m-dissipative equations in Banach spaces, which are continuous and satisfy a one sided Perron condition. We define the limit solutions and investigate some qualitative properties for them. Existence of limit solutions to nonlocal problems is shown. As application, we investigate an optimal control result for differential equations in abstract Banach spaces

Keywords: differential equations in abstract Banach spaces; one sided Perron condition; nonlocal problems

MSC 2010: Primary 34C25; Secondary 34A60; 49J21

- [1] O. Benniche, O. Carja, Approximate and Near Weak Invariance for Nonautonomous Differential Inclusions, J Dyn Control Syst, DOI 10.1007/s10883–016–9312–0, 2016.
- [2] O. Benniche, O. Carja. Viability for quasi-autonomous semilinear evolution inclusions, *Mediterr.J. Math*, 13:4187–4210, 2016.
- [3] O. Benniche, O. Carja and S. Djebali. Approximate Viability for Nonlinear Evolution Inclusions with Application to Controllability, Ann. Acad. Rom. Sci., 8:96–112, 2016.
- [4] D. Bothe. Nonlinear Evolutions in Banach Spaces, Habilitationsschritt, Paderborn (1999).
- [5] V. Lakshmikantham, S. Leela. *Nonlinear differential equations in abstract spaces*. Pergamon Press, Oxford (1981)
- [6] T. Roubicek. Nonlinear partial differential equations with applications, Birkhauser, Basel (2005)

FACTORIZATION OF *p*-ADIC MEROMORPHIC FUNCTIONS

Bilal SAOUDI^{1*}, and Tahar ZERZAIHI²

 1* LMPA, Jijel University, BP 98, Jijel, Algeria and 2 LMPA, Jijel University, BP 98, Jijel, Algeria e-mail: 1* saoudibilal1@gmail.com 2 zarzehi@yahoo.com

Abstract: In this paper, we study primeness and pseudo primeness of p-adic meromorphic functions. We also consider left primness of these functions. We give, in particular, sufficient conditions for a meromorphic function to verify such properties.

Keywords: meromorphic function, primeness, left-primeness

MSC 2010: Primary 30D05; Secondary 30D35.

- [1] J. P. Bezivin and A. Boutabaa, Decomposition of p-adic meromorphic functions, Ann. Math. Blaise Pascal, vol.2, N 1, 1995, pp. 51-60
- [2] Y. Noda, On the factorization of entire functions. Kodai Math. J. 4. (1981), 480-494
- [3] M. Ozawa. On certain criteria for the left-primeness of entire functions. Kodai Math. Sem. Rep, 26 (1975), 304-317

Singularities of some transmission problems

Selma Kouicem 1*, and Wided Chikouche2

^{1*} Laboratoire de Mathématiques Appliquées, Faculté des Sciences Exactes, Université de Bejaia, Algérie
²Laboratoire de Mathématiques Pures et Appliquées, Université de Jijel, 18000 Jijel, Algérie

e-mail: 1*selma.kouicem@yahoo.fr 2w_chikouche@yahoo.com

Abstract: In our work we give some regularity results concerning the transmission problem for the Laplace operator in a polygonal domain with data in negative fractional order Hilbertian Sobolev space, the transmission heat equation and the transmission problem for the Laplace operator in a polyhedron domain in L^p -Sobolev spaces. We use the characterization of the real interpolation spaces between the domain of the Laplace operator with transmission conditions and L^p in order to prove that the solutions of these problems can be decomposed into a regular part and an explicit singular part.

Keyw	ords:
MSC	2010:

- [1] J. O. ADEYEYE, Characterization of the real interpolation spaces between the domain of the Laplace operator and $L^p(\Omega)$; Ω polygonal and applications, *J. Math. pures et appl.*, 67, 263-290, 1998.
- [2] A. AIBECHE, W. CHIKOUCHE, Y. DAIKH, Real interpolation spaces between the domain of the Laplace operator with transmission conditions and L^p on a polygonal domain, *Electronic Journal of Differential Equations*, Vol. 2012, No.10, 1-14, 2012.
- [3] G. DA PRATO, P. GRISVARD, Sommes d'opérateurs linéaires et équations différentielles opérationnelles, *J. Math. Pures Appl. IX Ser.*, 54, 305-387, 1975.
- [4] K. LEMRABET, Régularité de la solution d'un problème de transmission, *J. Math. pures et appl.*, 56, 1-38, 1977.
- [5] N. KALTON, S. MAYBORODA ET M.MITREA, *Interpolation of Hardy-Sobolev-Besov-Triebel-Lizorkin Spaces and Applications to Problems in Partial Differential Equations*, A Conference in Honor of Michael Cwikel, March 29-31, 2006, and AMS Special Session on Interpolation Theory and Applications, Mario Milman Editors.
- [6] J.-L. LIONS, Espaces d'interpolation et domaines de puissances fractionnaires d'opérateurs, *J. Math. Soc. Japan*, Vol. 14, N°.2, 1962.
- [7] J. L. LIONS, J. PEETRE, Sur une classe d'espace d'interpolation, I.H.E.S. Paris, No. 19, 5-68, 1963.
- [8] A. LUNARDI, Analytic Semigroups and Optimal Regularity in Parabolic Problems, Birkhäuser, Basel, 1995.
- [9] J.-L. Zolesio, Interpolation d'espaces de Sobolev avec conditions aux limites de type mêlé, *C.R. Acad. Sci. Paris* 285, 621-624, 1977.

Weak Solutions for Boundary Value Problem of Anti-Periodic Fractional Differential Equation in Banach Spaces

Rebai Hamza^{1*} and Djamila Seba²

^{1*} Laboratory of Dynamical Systems, University of Sciences and Technology Houari Boumediene, Bab-Ezzouar, Algeria
² Dynamic of Engines and Vibroacoustic Laboratory, F.S.I. Boumerdès University, Algeria

e-mail: 1*rebaihamza14@gmail.com 2seba@univ-boumerdes.dz

Abstract: This paper is devoted to the existence of weak solutions for boundary value problem of anti-periodic fractional differential equations in Banach spaces. The results are obtained using Mönch's fixed point theorem combined with the technique of measures of weak noncompactness.

Keywords: Caputo fractional derivative, Boundary value problem, Pettis integrals, measure of weak noncompactness, fixed point, Banach space.

MSC 2010: 26A33, 34B15, 34G20

- [1] F.S. De Blasi, On the property of the unit sphere in a Banach space, *Bull. Math. Soc. Sci. Math. R.S. Roumanie* 21 (1977), 259–262.
- [2] A. A. Kilbas, H. M. Srivastava and J.J. Trujillo, Theory and Applications of Fractional Differential Equations, *Elsevier Science B.V., Amsterdam*, 2006.
- [3] D. O'Regan, Fixed point theory for weakly sequentially continuous mapping, *Math. Comput. Modelling* 27 (1998) 5, 1–14.
- [4] B.J. Pettis, On integration in vector spaces, Trans. Amer. Math. Soc. 44 (1938), 277–304.
- [5] H.A.H. Salem, A.M.A. El-Sayed, O.L. Moustafa, A note on the fractional calculus in Banach spaces, *Studia Sci. Math. Hungar.* 42 (2005) 2, 115–130.

Existence Results for systems of Integral Equations

Nadjet ABADA^{1*}, Leila AITKAKI²

1*,2 Departement de Sciences exactes et Informatique, Labortoire de Mathematiques Appliquees et Didactique, Ecole Normale Superieure Constantine

e-mail: 1*n65abada@yahoo.fr

Abstract: In this paper, we study the existence of solution of a nonlinear integral equation in the space $L^1([0, +\infty)$. With the help of Schaefer-Krasnoselskii fixed point theorem and the theory of measure of weak noncompactness, we prove an existence result for a functional integral equation. our results extend and generalize some previous works. An example is given to support ours results.

Keywords: Schaefer-Krasnoselskii fixed point theorem, Measure of weak noncompactness, Nonlinear integral equation.

S			

- [1] J. Banas, K. Goebel, Measures of Noncompactness in Banach Spaces, vol. **60** of Lecture Notes in Pure and Applied Mathematics, Marcel Dekker, New York, 1980.
- [2] J. Garcia-Falset, K. Latrach, E. Moreno-Galvez, M.A. Taoudi, *Schaefer-Krasnoselskii fixed point theorems using a usual mesure of weak noncompactness*: J. Differential Equations **252** (2012) 3436-3452.
- [3] B. N. Sadovskii, Limit compact and condensing operators, Russian Math. Survey **27** (1972), 85-
- [4] J. Schauder, Der Fixpunksatz funktional raumen, Studia Math. 2 (1930), 171-180.
- [5] S. Wen, S. Ji, An existence theorem of impusive differential equations with non local conditions,. Int. J. Nonlinear Sci. **14**. (2012), 186-192.

A Well Posedness Result of a Characteristic Initial Boundary Value Problem with Lipschitz Coefficients

First S. Brahimi^{1*}, Second A.Z. Mokrane²

^{1*} Department of Mathematics, university of Batna 2

e-mail: 1* brahimisihame2016@gmail.com 2 ahmed.mokr@univ-batna.dz

Abstract: We study the well-posedness of a hyperbolic characteristic Initial boundary value problem. Assuming more general boundary assumptions than those of maximally dissipativeness, we deal with a Lipschitz coefficients hyperbolic system of first order satisfying a minimal structure boundary condition, the so-called Uniform Keiss-Lopatinskii Condition. We show that an a priori estimate of the solution occurs in weighted L^2 norms, with the aid of the paradifferential calculus.

Keywords: hyperbolic boundary value problem, characteristic boundary, Uniform Kreiss-Lopatinski Condition, Paradifferential Operators.

MSC 2010: 35L04; 35L40; 35L45;35L50

- [1] S. Benzoni-Gavage and Denis Serre. *Multidimensional Hyperbolic Partial Differential Equations, First Order Systems and Applications*. The Clarendon Press Oxford University Press: Oxford, 2007.
- [2] J.-F. Coulombel and P. Secchi.The stability of compressible vortex sheets in two space dimensions. *Indiana Univ. Math. J*, 53(4): 941-1012, 2004.
- [3] J. F. Coulombel. Well-posedness of hyperbolic initial boundary value problems. *J. Math. Pure Appl*, 84: 786-818, 2005.
- [4] G.Metivier. The block Structure Condition for Symmetric Hyperbolic Systems. *Bull.London.Math.Soc*,2000.
- [5] A.Morando and D.Serre. A result of L^2 -well posedness concerning the system of linear elasticity in 2D. *Comm.Math. Sci*, 3(3): 317-334, 2005.
- [6] A.Morando and D.Serre. On the L^2 -well posedness of an initial boundary value problem for the 3D linear elaticity. *Comm.Math. Sci*, 3(4): 575-586, 2005.
- [7] A. Morando, P. Secchi and P. Trebeschi. Regularity of solutions to characteristic initial-boundary value problems for symmetrizable systems. *J. Hyperbolic Differential Equations*, 6(4): 753-808, 2009.
- [8] A.Z Mokrane. Problèmes Mixtes Hyperboliques. PhD thesis, Université de Rennes I, Ville, 1987.

²Department of Mathematics, university of Batna 2

EXISTENCE OF SOLUTIONS TO A ELIPTIC p-LAPLACE EQUATION

S. Lecheheb^{1*}, H. Lakhal² and M. Maouni³

^{1*, 2 3} Laboratoire LAMAHIS, Departement of mathematics Reu El-Hadaiek P.O.Box 26, Université 20 août 1955 Skikda, 21000, Algeria

e-mail: 1* lecheheb.samira24@gmail.com 2 h.lakhal@univ-skikda.dz 3 m.maouni@univ-skikda.dz

Abstract: In this article, we consider the nonlinear elliptic equation

$$A(u) = f(u)$$

where $A(u) = -\operatorname{div} \Big(g(|\nabla u|) \nabla u \Big) - \frac{1}{\lambda^p} \operatorname{div}(|\nabla u|^{p-2} \nabla u)$ with the Neumann boundary coditions, and under suitable growth condition on the nonlinear term f. The existence of solutions is given via the Brouwer degree theory and the passage to the limit. We finish this article with some numerical result in image denoising and show that our result is the best.

Keywords: Topological degree; elliptic equation; homotopy

MSC 2010: 35J62; 58B05.

- [1] A.Atlas, F.Karami, D.Meskine; The Perona-Malik inequality and application to image denoising. *Nonlinear Analysis: Real World Applications* 18 57-68 (2014)
- [2] Jun Liu and Xiaojun Zheng. A Block Nonlocal TV Method for Image Restoration, May 2016.
- [3] M. Schechter, W. M. Zou. Superlinear problems. *Paci c J. Math.* 214 145-160 (2004).
- [4] S. Lecheheb, H. Lakhal, M. Maouni, K. Slimani, Study of a system of Diffusion-Convection-Reaction, *International Journal of Partial Differential Equations and Applications*. 4(2) 2016, 32-37.
- [5] S. Levins, Y. Chen and J. Stanich, Image restoration via nonstandard diffusion. *Technical-Report* 04-01, Dept of Mathematics and Computer Science, Duquesne University, 2004.
- [6] Stanley Osher, Zuoqiang Shi, and Wei Zhu; Low Dimensional Manifold Model for Image Processing. January 2016.
- [7] Yong-Yi Lan. Existence of solutions to *p*-Laplacian equations involving general subcritical growth. *Electronic Journal of Differential Equations*. Vol. 2014 (2014), No. 151, pp. 1-9.

On the decay of the energy for the wave equation with fractional boundary

S. Labidi

University Badji Mokhtar, Faculty of sciences, Department of mathemathic, B. P. 12 El Hadjer Annaba, Algeria.

e-mail: labidis1@yahoo.fr

Abstract: We consider a wave equation with boundary feedback damping . This feedback involves derivatives of fractional order of the solution. We give sufficient conditions guaranteeing existence of global solutions and decay to the equilibrium state.

Keywords: Exponential decay; Fractional derivative; Weakly singular kernel

MSC 2010: 35B40; 35L70; 35L53

- [1] G. Montseny, J. Audonnet and D. Matignon, Fractional integrodifferential boundary control of the Euler-Bernoulli beam. Publication du Département Traitement du Signal et de l'Image, Ecole Normale Superieur de Télécommunication, 98C003, October 1998.
- [2] S. Labidi and N. -e. Tatar, Unboundedness for the Euler-Bernoulli beam equation with fractional boundary dissipation, Applied Mathematics and Computation, 161:697-706, 2005.
- [3] S. Labidi and N.-e. Tatar, Blow up for the Euler-Bernoulli beam problem with a fractional boundary dissipation. Dynam. Systems Appl., 17(1):109-119,2008.
- [4] S. Messaoudi, B. Said-Houari and N.-e. Tatar, Global existence and asymptotic behavior for a fractional differential equation, Appl. Math. Comput., 188(2):1955-1962, 2007.
- [5] N.-e. Tatar, The decay rate for a fractional differential equations, J. Math. Anal. Appl., 295: 303-314, 2004.

models for population dynamics with individual behavior at boundaries

A. Menad¹, R. Labbas² and A. Medeghri¹

abdallah_menad@yahoo.com , rabah.labbas@univ-lehavre.fr, ahmed_medeghri@yahoo.com

Abstract: The goal of this work is to study a problem of Diffusion with interfaces coming from (concrete) situations in population dynamics. In stationary mode this problem is reduced to an operational form of the type:

$$(P1A) \left\{ \begin{array}{l} (\text{Equats}) \quad u''(x) + Au(x) = G(x) \ \text{dans} \] - l, 0[\,\cup\,]0, 2L[\,\cup\,]2L, 2L + l[\\ (\text{Bounda C.}) \quad u_-(-l) = f_- \ , \ u_+(2L + l) = f_+ \\ (\text{Transmission. C.}) \quad u_-(0) = u_0(0) \ , \ u_0(2L) = u_+(2L) \\ (\text{Skewness C.}) \quad (1-p)du'_-(0) = pd_0u'_0(0), \ pd_0u'_0(2L) = (1-p)du'_+(2L). \end{array} \right.$$

The operator *A* verifies the following ellipticity hypothesis:

$$\rho(A) \supset [0, +\infty[\text{ et } \exists C > 0 : \forall \lambda \ge 0, \| (A - \lambda I)^{-1} \|_{L(E)} \le \frac{C}{1 + |\lambda|}$$

Where $\rho(A)$ denotes the resolvent set of A. The operator $B := -(-A)^{\frac{1}{2}}$ generates

an analytic semigroup which makes it possible to find a representation of the solution. The analysis of this representation makes it possible to find necessary and sufficient conditions on the data for existence, uniqueness and regularity.

- [1] Belhamiti O., Labbas R., Lemrabet k., MedeghriA. Transmission problems in a Thin Layer Set in the Framework of the Holder Space, Resolution and Impedance, Journal of Mathematical Analysis and applications, 358, (2009), 457-484.
- [2] Dore A., Favini A., Labbas R., Lemrabet k.An Abstract Transmission Problem in a Thin Layer, I: Sharp Estimates, Journal of Functional Analysis, 261 (2011) 1865-1922.
- [3] Holmes E. E., Lewis M. A., Banks J. E. and Veit R. R.Partial Differential Equations in Ecology: Spatial Ineraction and population Dynamics, Ecology, Vol. 75, N 1, 17-29.

Laboratoire de Mathématiques Pures et Appliquées, Université de Mostaganem, Algeria.
 Laboratoire de Mathématiques Appliquées, Universit é du Havre, B.P. 540, 76058 le Havre, France.

Global Uniqueness Results for Impulsive Fractional Partial Hyperbolic Differential Equations with Finite Delay

M. Benchohra 1* and Z. Bouteffal 2

 1* ²Laboratoire de Mathématiques, Université de Sidi Bel-Abbès, B.P. 89, 22000, Sidi Bel-Abbès, Algérie

e-mail: 1*benchohra@univ-sba.dz 2boutefal@yahoo.fr

Abstract: This paper deals with the global existence and uniqueness of solutions for impulsive partial functional differential equations with delay, involving the Caputo fractional derivative. Our works will be conducted by using a nonlinear alternative of Leray-Schauder due to Frigon-Granas type for contraction maps on Fréchet spaces

Keywords: Impulsive partial hyperbolic differential equations, fractional order, solution, left-sided mixed Riemann-Liouville integral, Caputo fractional-order derivative, Fréchet spaces, fixed point.

MSC 2010: 26A33, 34K30, 34K37, 35R11.

- [1] M. Benchohra and Z. Boutefal, Impulsive Differential Equations of Fractional Order with Infinit Delay, *Journal of Fractional Calculus and Applications* 5 (5) (2013), 1-15.
- [2] M. Benchohra and Z. Boutefal, Impulsive Hyperbolic System of Partial Differential Equations of Fractional Order with Delay, *Commentationes Mathematica* vol 54, N 2(2014), 179-189.
- [3] M. Frigon and A. Granas, Résultats de type Leray-Schauder pour des contractions sur des espaces de Fréchet, *Ann. Sci. Math. Québec*, **22** (2) (1998), 161-168.

Near, approximate and exact viability for fractional differential equation

Mohamed BEZZIOU^{1*},

1* University of DJILALI BOUNAAMA, KHEMIS MILIANA, ALGERIA

e-mail: 1*m.bezziou@univ-dbkm.dz

Abstract: Let X be a real Banach space and I a nonempty interval. Let $G: I \leadsto X$ be a set-valued function with the graph \mathcal{K} . We give here a characterization for \mathcal{K} to be approximate/near viable with respect to the fractional differential inclusion $D^{\alpha}y(t) \in F(t,y(t))$, where $\alpha \in (0,1)$ and D^{α} is the Caputo fractional derivative of order α , by means of an appropriate tangency concept and Lipschitz conditions on F. The tangency concept introduced here extends in a natural way the quasitangency concept introduced in [5] (see also [4]) in the case when F is independent of t. As an application, we give some results concerning the set of solutions for the differential inclusion $D^{\alpha}y(t) \in F(t,y(t))$.

Keywords: differential equations in abstract Banach spaces; one sided Perron condition; nonlocal problems

MSC 2010: Primary 34C25; Secondary 34A60; 49J21

- [1] O. Benniche, O. Carja, Approximate and Near Weak Invariance for Nonautonomous Differential Inclusions, J Dyn Control Syst, DOI 10.1007/s10883-016-9312-0, 2016.
- [2] O. Benniche, O. Carja. Viability for quasi-autonomous semilinear evolution inclusions, *Mediterr.J. Math*, 13:4187–4210, 2016.
- [3] O. Benniche, O. Carja and S. Djebali. Approximate Viability for Nonlinear Evolution Inclusions with Application to Controllability, Ann. Acad. Rom. Sci., 8:96–112, 2016.
- [4] Cârjă O, Necula M, Vrabie II. Viability, invariance and applications. Amsterdam: Elsevier Science B V. 2007.
- [5] Cârjă O, Necula M, Vrabie II. Necessary and sufficient conditions for viability for semilinear differential inclusions. Trans. Amer. Math. Soc. 2009;361:343-390.

Radially symmetric inverse heat conduction problem

I. Djerrar^{1*}, L. Alem² and L. Chorfi³

^{1*}, ², ³ Lab. LMA, University Badji Mokhtar, Annaba, Algeria

e-mail: 1*m2ma.djerrar.55@gmail.com 2alemleila@yahoo.fr 3l_chorfi@hotmail.com

Abstract: We consider an axisymmetric inverse problem for the heat equation inside the cylinder $0 \le r \le 1$. We wish to determine the temperature f(t) = u(1,t) from measured temperature $g^{\delta}(t)$ in the interior point $0 < r_1 < 1$, this problem is ill-posed. Using Laplace transform we solve the direct problem. Then the inverse problem is reduced to a Volterra integral equation of the first-kind. A standard Tikhonov regularization method is applied to the approximation of this integral equation when the data is noised. Numerical examples are given to illustrate the stability of the proposed method.

Keywords: Ill-posed problem; Radially symmetric heat equation; Laplace transform; Tikhonov regularization.

MSC 2010: 35K05; 65N06; 35R30

- [1] A. Kirsh. *Introduction to mathematical theory of inverse problems*. Series AMS Vol. 120, Springer, 2011.
- [2] W. Cheng. Regularization and stability estimates for an inverse source problem of the radially symmetric parabolic equation. *Journal of Inequalities and Applications*, 2015:136, 2015.
- [3] W-C. Cheng, L-L. Zhao, C-L. Fu. Source term identification for an axisymmetric inverse heat conduction problem. *Computers and Mathematics with Applications*, 59, 142-148, 2015.
- [4] N. Yaparova. Numerical methods for solving a boundary-value inverse heat conduction problem. *Inverse Problems in Science and Engineering*, 22, 832-847, 2014.
- [5] X-T. Xiong. On a radially symmetric inverse heat conduction problem. *Applied Mathematical Modelling*, 34, 520-529, 2010.
- [6] W. Cheng, C-L. Fu. Solving the axisymmetric inverse heat conduction problem by a wavelet dual least-square method. *Boundary Value Problems*, volume 2009.

On the boundary value problem with integral conditions

Abdelkrim Zekri 1* and Abdelhak Berkane²

1*,2 Department of Mathematics,Faculty of Exact Sciences: FES,University Mentouri Constantine, Algeria

e-mail: 1*,2berkane@usa.com

Abstract: We consider a second-order ordinary differential operator with a spectral parameter and homogeneous integral conditions containing the unknown function and its derivative. We obtain an a priori estimate of the solution for sufficiently large values of the parameter. Also we prove the Fredholm solvability of the problem.

Keywords: Differential equation; Integral condition; Fredholm property; Priori estimate.

MSC 2010: 31A25; 31B20; 34B05; 34G10.

- [1] MS Agranovich and M. I Vishik; Elliptic problems with a parameter and parabolic problems general form, Uspekhi Mat. Sciences. 1964. 19. S.53-161
- [2] Darovskaya K. A and Skubachevskii A. L; A spectral problem with integral conditions, Proceedings of the Seminar. Petrovskii 2010. 28. S. 149-162.

An $L^{\infty}-$ error estimate for an approximation of the solution of a parabolic variational inequality with nonlinear source terms

Mohamed El Amine Bencheikh Le Hocine^{1,2}

¹Tamanghesset University Center B.P. 10034, Sersouf, Tamanghesset 11000, Algeria ²LANOS Laboratory, Badji Mokhtar University, B.P 12 Annaba 23000, Algeria.

kawlamine@gmail.com

Abstract: This paper deals with the numerical analysis of the problem of parabolic variational inequalities with nonlinear source terms. Existence and uniqueness of the solution is provided by using a Banach's fixed point theorem. An optimally L^{∞} -asymptotic behavior is proved using the semi-implicit time scheme combined with the finite element spatial approximation. The approach is based on Bensoussan-Lions algorithm for evolutionary free boundary problems using the concepts of subsolutions.

Keywords: Parabolic variational inequality, finite element methods, an L^{∞} -error estimate.

MSC 2010: 65N30; C.R: G 1.8.

- [1] A. Achdou, F. Hecht, and D. Pommier, A posteriori error estimates for parabolic variational inequalities, J. Sci. Comput. Math. Appl., 37 (2008), No. 3, pp. 336–366.
- [2] A. Benssoussan and J. L. Lions, Applications des inéquations variationnelles en contrôle stochastique, Dunod, Paris, 1978.
- [3] M. Boulbrachene, Optimal L^{∞} -error estimate for variational inequalities with nonlinear source terms, Appl. Math. Letters., 15 (2002), No. 8, pp. 1013–1017.
- [4] M. Boulbrachene, On variational inequalities with vanishing zero term, J. Inequalities Appl., (2013), No., pp. 1-17.
- [5] M. Boulbrachene, Pointwise error estimates for a class of elliptic quasi-variational inequalities with nonlinear source terms, Appl. Math. Comput., 161 (2005), No. 1, pp. 129–138.
- [6] M. Boulbrachene, P. Cortey-Dumont and J.C Miellou, L^{∞} -error estimates for a class of semi-linear elliptic variational inequalities and quasi-variational inequalities, IJMMS., 27 (2001), No. 6, pp 309–319.
- [7] M. A. Bencheikh Le Hocine, S. Boulaaras and M. Haiuor, An optimal L^{∞} -error estimate for an approximation of a parabolic variational inequality, Numer. Funct. Anal. Optim., 37 (2016), No. 1, pp. 1–18.

Controllability of Some Degenerate Wave Equations

Abdelkarim Kelleche^{1*} and **Amirouche Berkani**²

^{1*} Faculte des Sciences et de la Technologie, Universite Djilali Bounâama, Route Theniet El Had, Soufay, Khemis Miliana 44225, Algeria.
² Faculty of Mathematics, University of Sciences and Technology Houari Boumediene, BP 32 El Alia 16111 Bab Ezzouar, Algiers, Algeria.

e-mail: 1st kellecheabdelkarim@gmail.com 2 aberkanid@gmail.com

Abstract: This paper is devoted to a study of the null controllability problems for one-dimensional linear degenerate wave equations through a boundary controller. First, the well-posedness of linear degenerate wave equations is discussed. Then the controllability of some degenerate wave equations is established, when a control acts on the non-degenerate boundary. Different from the known controllability results in the case that a control acts on the degenerate boundary, any initial value in state space is controllable in this case. Also, an explicit expression for the controllability time is given. Furthermore, a counterexample on the controllability is given for some other degenerate wave equations.

Keywords: Control of degenerate wave equations.

MSC 2010: 35L05; 35L80; 93B05; 93B07; 93B52; 93D15.

- [1] F. Alabau-Boussouira, P. Cannarsa, G. Fragnelli, *Carleman estimates for degenerate parabolic operators with applications to null controllability*, J. Evol. Equ. 6 (2006), no. 2, 161-204.
- [2] C. Bardos, G. Lebeau, J. Rauch, *Sharp su cient conditions for the observation, control, and stabilization of waves from the boundary*, SIAM J. Control Optim. 30 (1992), no. 5, 1024-1065.
- [3] P. Cannarsa, P. Martinez, J. Vancostenoble, *Carleman estimates for a class of degenerate parabolic operators*, SIAM J. Control Optim. 47 (2008), no. 1, 1-19.
- [4] P. Cannarsa, P. Martinez, J. Vancostenoble, *Carleman estimates and null controllability for boundary-degenerate parabolic operators*, C. R. Math. Acad. Sci. Paris, 347 (2009), no. 3-4, 147-152.13.
- [5] L. Cui, X. Liu, H. Gao, *Exact controllability for a one-dimensional wave equation in non-cylindrical domains*, J. Math. Anal. Appl. 402 (2013), no. 2, 612-625.
- [6] X. Fu, J. Yong, X. Zhang, Exact controllability for multidimensional semilinear hyperbolic equations, SIAM J. Control Optim. 46 (2007), no. 5, 1578-1614.
- [7] M. Gueye, *Exact boundary controllability of 1-D parabolic and hyperbolic degenerate equations*, SIAM J. Control Optim. 52 (2014), no. 4, 2037-2054.

GRADIENT REMEDIABILITY IN LINEAR DISTRIBUTED PARABOLIC SYSTEMS ANALYSIS, APPROXIMATIONS AND SIMULATIONS

S.Rekkab^{1*}, S.Benhadid² and H.Aichaoui³

^{1*,2,3} Mathematics Department, Faculty of Exact Sciences, University Mentouri, Constantine, Algeria

 $ext{E-mail:} \quad ^{1*} \text{ rekkabsoraya@yahoo.fr} \quad ^2 \text{ ihebmaths@yahoo.fr} \quad ^3 \text{ houdamaths@yahoo.fr}$

Abstract: The aim of this paper is the introduction of a new concept that concerned the analysis of a large class of distributed parabolic systems. It is the general concept of gradient remediability. More precisely, we study with respect to the gradient observation, the existence of an input operator (gradient efficient actuators) ensuring the compensation of known or unknown disturbances acting on the considered system. Then, we introduce and we characterize the notions of exact and weak gradient remediability and their relationship with the notions of exact and weak gradient controllability. Main properties concerning the notion of gradient efficient actuators are considered. The minimum energy problem is studies, and we show how to find the optimal control, which compensates the disturbance of the system. Approximations and numerical simulations are also presented.

Keywords: actuators efficient; disturbance; gradient; parabolic systems; remediability; sensors.

MSC 2010: 93B05; 93B07; 93C73

- [1] Curtain R.F and Zwart H. *An introduction to infinite dimensional linear systems theory, in Applied Mathematics*: Springer-Verlag, 1995.
- [2] Lions J.L. *Contrôlabilité exacte. Perturbation et stabilisation des systems distribués*: Tome 1. Masson, 1988.
- [3] Berrahmoun L. Localisation d'actionneur pour la Contrà 'labilité de Systèmes Paraboliques et Hyperboliques. Application par Dualité Ã la Localisation de Capteurs: Ph.D dissertation, University, Mohammed V, Rabat, April 1984.
- [4] El jai A. Sensors and actuators in distributed systems, International Conference on control and identification of distributed systems: Vorau, Autriche, July 1986.
- [5] El jai A and El Yacoubi S. *On the number of actuators in distributed system*: International Journal, Applied Mathematics and Computer Science, 1993, 3(4), 1993.
- [6] El jai A, Simon M.C and Zerrik E. *Regional observability and sensor structures*: International journal on sensors and actuators, 1993, 39(2), 95-102.



The first international conference on the "Evolution of Contemporary Mathematics and their Impact in Sciences and Technology" (ECMI-SciTech 2017). October 09-12, 2017. Freres Mentouri University- Constantine, Algeria. http://ecmi2017.labomam.net/



Workshop 3

Day 1: October 09, 2017

- Ahmed Tageldin Abdelhafiz Ahmed Abdelaal . Bio-mathematical Model Testing the Effects of Bee Honey and Royal Jelly on the Mechanical Properties of the Fetal Membranes. Asiut University Hospital, Asiut, Egypt.
- Malika DALI- KORSO FECIANE. Goodness of fit tests in a nonlinear diffusion process with delay. Aboubekr Belkaid University, Tlemcen, Algeria.
- Abdu Masanawa SAGIR. An Efficient Intelligence Approach for Pattern Classification. Hassan Usman Katsina Polytechnic, Katsina, Nigeria.
- Lynda HARFOUCHE. Bayesian bandwidth selection using two multiplicative bias correction estimators for discrete multivariate associated kernel. Abderrahmane Mira University, Bejaia, Algeria.
- Ines SADEG. Simulation of the unreliable M/G/1 model with reparation delay and verifications. University of Sciences and Technology Houari Boumediene, BAB EZZOUAR Algiers, Algeria.
- Oualid SACI. Comparing between empirical distribution functions from a refined descriptive sample and a simple random sample. Abderrahmane Mira University, Bejaia, Algeria.
- Oualid SACI. Comparing between empirical distribution functions from a refined descriptive sample and a simple random sample. Abderrahmane Mira University, Bejaia, Algeria.
- Oussama BAHI. Estimation in GPD models with interval censoring. Freres Mentouri University, Constantine, Algeria.

Day 2: October 10, 2017

- Mouloud CHERFAOUI. Influence du pôle d'une densité sur les performances locales de son estimateur à noyaux gamma. Mohamed Khider University, Biskra, Algeria.
- Fatima BENZIADI. The Application of Kolmogorov's theorem in the one-default model. Tahar Moulay University, Saida, Algeria.
- Sonia AMROUN. Smoothing parameter selection methods in spline estimate for the regression curve. Abderrahmane Mira University, Bejaia, Algeria.
- Dalel Zerdazi. Analogy between traditional statistical methods and neural networks theory. Laboratory of Applied Mathematics and Modeling, Freres Mentouri University. Constantine. Algeria.
- Ferhat LOUNIS. An Unreliable Retrial Queue with Impatience and Preventive Maintenance. Mouloud Mammeri University, Tizi Ouzou, Algeria.
- Ouerdia AREZKI .Estimation Of Missing Value In Random Fields. Mouloud Mammeri University, Tizi Ouzou, Algeria.
- Boulakhras GHERBAL. Existence of optimal solutions for optimal control problem of linear FBSDEs of mean-field type. Mohamed Khider University, Biskra, Algeria.
- THARA BELHAMRA. Graphical Approach for claims reserving. Badji Mokhtar University, Annaba, Algeria.



The first international conference on the "Evolution of Contemporary Mathematics and their Impact in Sciences and Technology" (ECMI-SciTech 2017). October 09-12, 2017. Freres Mentouri University- Constantine, Algeria.

(laho-3)

http://ecmi2017.labomam.net/

Workshop 3

Day 3: October 11, 2017

- Ahlem MELAKHESSOU. $Z_q(Z_q+vZ_q+...+v^{(m-1)}Z_q)$ Linear Cyclic, Skew Cyclic and Constacyclic Codes. Mostefa Ben Boulaïd University, Batna, Algeria.
- Djemaia BENSIKADDOUR. Classification of Translation Surfaces in Lorentz Heisenberg 3-Space With Plat Metric. Abdelhamid Ibn Badis University, Mostaganem, Algeria.
- Chahrazade MATMAT. Topological invariant for a class of morphisms and some applications. Freres Mentouri University, Constantine, Algeria.
- Maroua MEZGHICHE. Epsilon steepest descent method on Riamannian submanifold of \mathbb{R}^n . Badji Mokhtar University, Annaba, Algeria.
- Mohamed Salah BOUDELLIOUA. Equivalence and Similarity of a Class of Matrices over a Commutative Ring. Sultan Qaboos University, Oman.
- Handan KOSE. On Almost Clean Rings. Ahi Evran University, Turkey.

Bio-mathematical Model Testing the Effects of Bee Honey and Royal Jelly on the Mechanical Properties of the Fetal Membranes

Ahmed Tageldin Abdelhafiz*, Jihan Abdelomeim Mohamed*, Dalia Aly**, Mohamed Abdlerahman**, Abdelhady Omar***

Background

Premature rupture of fetal membranes (PROM) carries high risk for preterm labor. Improving the mechanical efficiency of the fetal membranes might be of prophylactic value. The effects of bee honey (H) and royal jelly (RJ) on the mechanical properties of fetal membranes were in-vitro tested.

Material/Methods

Amnion (A) and amnion/chorion complexes (B) were collected from 138 deliveries. Comparative membrane pieces were treated with either H, RJ, H/RJ mixture, *or* physiologic saline. These were subsequently evaluated by: a) manometric device for their mechanical properties, and, b) histological examination for collagen content.

Results

- 1. Tearing pressure and elastic extension yield were significantly improved for both A (pressure of 105.7 with H and 146.5 for RJ versus 50.3 mm Hg for the controls; and elastic extension yield of 1.73 with H and 1.93 for RJ versus 1.46 cm for the controls); and B membranes (pressure of 190.7 mm Hg with H and 246.5 for RJ versus 121.2 mm Hg for the controls; elastic extension yield of 2.01 with H, 2.05 with RJ, versus 1.83 cm for the controls).
- 2. Histological examination and image-analysis quantification revealed significantly increased collagen staining pattern.

Conclusion

H, H/RJ had positive effect on the mechanical properties of fetal membranes. This may be through "collagen promoting action". Further studies are required to: 1) define the exact mechanism involved (e.g. effects on proline/hydroxyproline content, collagen cross-linkage), and, 2) test the efficacy of different methods for clinical extrapolation; i.e. whether ingesting these nutrients, or using them in some form of "local application".

^{*}Asiut Clinic for Gynecology and Obstetrics

^{**}Department of Gynecology, Faculty of Medicine, Suhaj University

^{***}Department of Histopathology, Asiut University Hospital Asiut, EGYPT

Goodness of fit tests in a nonlinear diffusion process with delay

M. DALI-KORSO FECIANE^{1*}

1* Aboubekr Belkaid University - TLEMCEN

e-mail: 1*korsom@yahoo.fr

Abstract: We consider the problem of goodness of fit tests for a stochastic process with small noise. i.e. We observe complete trajectories $X^{\varepsilon} = \{X_t, 0 \le t \le T\}$ from solution of the stochastic differential equation

$$dX_t = S(X_{t-\theta})dt + \varepsilon dW_t$$
, $X_0 = x_0$, $0 \le t \le T$

with the deterministic initial value x_0 and the known diffusion coefficient $\varepsilon > 0$. The statistical inference concerns the drift coefficient $S(\cdot)$ only. We propose goodness of fit tests to check whether the model is actually delayed or not. We consider the problem with the asymptotic of a small noise; $\varepsilon \longrightarrow 0$.

Keywords: Diffusion process; Goodness of fit tests; Kolmogorov-Smirnov tests; Cramer-Von Mises tests.

MSC 2010: Statistics; Probability theory and stochastic processes.

1 Introduction

First, we consider the case where the basic hypothesis is simple and described by the known drift coefficient up to the unknown delay parameter. We propose a Cramer-von Mises type test and asymptotic behavior of the power function is studied for nonparametric alternatives. The second problem more general, concerns a composite parametric basic hypothesis in which case we propose a test based on a statistic depending on an estimator of the unknown delay parameter with good asymptotic properties. We use for this step the maximum likelihood estimator. The vicinity of power function under nonparametric alternatives is also discussed. The approach is similar to that used for the classical test of Cramer-von Mises (see, for example, Lehmann and Romano [1]). The Cramer-von Mises test has the good quality that its Law does not depend on the basic hypothesis (Distribution free).

- [1] Lehmann, E.L. and Romano, J.P. (2005) Testing Statistical Hypotheses. (3rd ed.) Springer, N.Y.
- [2] Rabhi, A. (2008) On the goodness-of-fit testing of composite hypothesis for dynamical systems with small noise, publication **08–6**, Université du Maine, (http://www.univ-lemans.fr/sciences/statist/download/Rabhi/GoFpaper.pdf).
- [3] Yury A.Kutoyants, 2010. Goodness-of-Fit Tests for perturbed Dynamical Systems.

An Efficient Intelligence Approach for Pattern Classification

A.M. Sagir

Hassan Usman Katsina Polytechnic, P.M.B. 2052, Katsina. Katsina State. Nigeria e-mail: amsagir@yahoo.com

Abstract:

This research paper aims to develop an efficient intelligence approach for pattern classification by incorporation the capability of fuzzy logic and artificial neural network learning algorithm that can be used by experts for analysis of data. The proposed method maximises the correctly classified data and minimise the number of incorrectly classified patterns. In addition, an attempt was done to specify the effectiveness of the performance measuring accuracy, sensitivity and specificity. The obtained classification results of the proposed method are comparable and show superiority to classification results obtained by conventional method and other related existing methods.

Keywords: Artificial neural network; Classification; Fuzzy logic; Intelligence approach

MSC 2010: 62J05; 62M10; 92B20; 97R20

Bayesian bandwidth selection using two multiplicative bias correction estimators for discrete multivariate associated kernel

L. Harfouche^{1*}, N. Zougab² and S. Adjabi³

^{1*} Bejaia University, Algeria
 ² Bejaia University, Algeria
 ³ Bejaia University, Algeria
 ^{1*} lyndaharfouche@hotmail.com
 ² nabilzougab@yahoo.fr
 ³ adjabi@hotmail.com

Abstract: This paper proposed two new estimators called MBC techniques in the context of estimating the multivariate discrete probability mass function. For the choice of the vector bandwidths, we proposed the Bayes global method against the unbiased cross-validation method. We used the Bayesian Markov chain Monte Carlo (MCMC) method for deriving the global optimal bandwidth and we have compared the two proposed method. The performance of both methods is evaluated under the integrated square error criterion. The obtained results show that the Bayes global method performs better than cross-validation.

Keywords: Bayesian global approach; Cross validation; Multiplicative bias correction.

MSC 2010: 62G07; 62G99.

- [1] G.R. Terrell, and D.W. Scott, On improving convergence rates for nonnegative kernel density estimators. Annals of Statistics. **8**, 1160 1163, 1980.
- [2] M. C. Jones, O. Linton and J. P. Nielsen, A simple bias reduction method for density estimation, Biometrika. **82**, 327 338, 1995.
- [3] Belaid, N., Adjabi, S., Zougab, N., Kokonendji, C.C. Bayesian bandwidth selection in discrete multivariate associated kernel estimators for probability mass functions. Korean Statistical Society. **45**, 557–567, 2016.

Simulation of the unreliable M/G/1 model with reparation and verification delay

I. Sadeg^{1*}, H. Saggou², L. Sadeg³

1* 2 Laboratory of RIIMA, Faculty of Mathematics,

e-mail: 1*sadeg.ines1@gmail.com 2saggou hafida@yahoo.fr 3lysg.lyes@gmail.com

Abstract: We consider an M/G/1 queue with breakdowns, repair and verification delay. The customer whose service is interrupted stays in the service, waiting for delay of verification and repair. After the repair delay this customer completes his service and after this completion of service he leaves the system. We note that the discipline of the service is according with F.C.F.S. Then, we concentrate our attention on the limiting distribution of the system state. We obtain simplified expressions for the partial generating functions of the server state and the number of customers in the system and some results of simulation are also investigated, the objective of our study is the optimization of performance in case of failure (reducing the average waiting time).

Keywords: Random breakdowns; Repair time; Verification time; Supplementary variable method MSC 2010:

- [1] A. Aissani., J.R Artalejo. On the Single Server Retrial Queue Subject to Breakdowns. *Queueing Systems*, 30, 309–321, 1998.
- [2] B. Avi-Itzhak., P. Naor. Some Queueing Problems with the Service Station Subject to Breakdown. *Operations Research*, 11(3), 303–320, 19663.
- [3] Y.H. Tang. A Single-Server *M/G/1* Queueing System Subject to Breakdowns. *Some Reliability and Queueing Problems, Microelectronics and Reliability*, 37, 315–321, 1997.
- [4] K. Thiruvengadam. Queueing with Breakdowns. *Operations Research*, 11, 62–71, 1963.

³ Faculty of Electronics and Computer Science, USTHB, PB 32 El Alia 16111 Algiers, Algeria

Comparing between empirical distribution functions from a refined descriptive sample and a simple random sample

Oualid Saci^{1*} Megdouda Ourbih-Tari^{1,2}

^{1*} Laboratoire de Mathématiques Appliquées, Faculté des Sciences Exactes, Université de Bejaia, Bejaia 06000 Algerie
² Centre Universitaire de Tipaza, Tipaza 42000, Algerie

e-mail: 1*oualid.saci@univ-bejaia.dz 2ourbihmeg@gmail.com

Abstract: In this paper, we compare the empirical cumulative distribution functions obtained by refined descriptive sample and simple random sample of same size through their variances and show that the empirical cumulative distribution function from refined descriptive sample is more efficient than the one obtained from simple random sample.

Keywords: Sampling; Monte Carlo Method; Variance; Empirical distribution function

MSC 2010: 91G60, 62G05

- [1] C.P. Robert, G. Casella. *Monte Carlo Statistical methods*. 2nd ed. Springer Science+Business Media Inc. LIK, 2004
- [2] E.Saliby. *A better approach to Monte Carlo simulation*. Journal of the Operational Research Society,41: 1133-1142, 1990.
- [3] M. Tari, A. Dahmani. Refined descriptive sampling: A better approach to Monte Carlo simulation. *Simulation Modeling Practice and theory*, 14: 143-160, 2006.
- [4] M. Ourbih-Tari and M. Azzal. Survival function estimation with nonparametric adaptive refined descriptive sampling algorithm: A case study. *Communications in Statistics: Theory and Methods*, 46, N°12: 5840-5850, 2017.
- [5] L. Baghdali-Ourbih, M. Ourbih-Tari, A. Dahmani. Implementing Refined Descriptive Sampling into Three Phase Discrete-Event Simulation Models. *Communications in Statistics: Theory and Methods*, 46, N° 5: 4035-4049, 2017.

Existence of optimal controls for systems governed by mean-field forward-backward stochastic differential equations

 ${\bf Radhia\,BENBRAHIM}^{1*}, \quad {\bf Boulakhras\,GHERBAL}^2$

 $tabular \ ^{1*} \ benbrahim.radhia@yahoo.com \ , \ ^{2}bghorbal@yahoo.fr$

Abstract: In this work, we study the existence of optimal control for systems, governed by non linear forward–backward stochastic differential equations of meanfield type. The proof of the main result is based on tightness results of the distributions of the processes defining the control problem and the Skorokhod representation theorem on the Skorokhod space, equipped with the S-topology of Jakubowski . Furthermore, when the Roxin convexity condition is fulfilled, we prove that the optimal relaxed control is in fact strict....

Keywords: Mean-field; Forward backward stochastic differential equation; Relaxed control; Strict control; Existence; Tightness; Weak convergence; The Jakubowski S-topology.

ħ.	/C	\mathbf{c}	20	1	Λ
IV		٠.	~		"

- [1] K. Bahlali, B. Gherbal, B. Mezerdi, *Existence of optimal controls for systems driven by FBSDEs*, Syst. Control Lett. 60 (2011) 344–349
- [2] K. Bahlali, M. Mezerdi, B. Mezerdi, *Existence of optimal controls for systems governed by mean-field stochastic differential equations*, Afrika Statistika, Vol. 9 (2014), No 1, 627-645.
- [3] J. Yong and X.Y Zhou, *Stochastic controls, Hamiltonian Systems and HJB Equations*, Springer, New York, (1999).

Estimation in GPD models with interval censoring

M. Dakhmouche^{1*}, O. Bahi²

^{1*} Mathemlatic Department, Faculty of Science, University Frères Mentouri Constantine 1, Algeria
²Laboratory of Mathematical Modelling and Simulation, University Frères Mentouri Constantine 1, Algeria

e-mail: 1* m_dakhmouche@yahoo.fr 2 bahi.oussama2@gmail.com

Abstract: In this work, we are interested in the estimation of parameters of a GPD model with interval censoring. First, in a general parametric model with interval censoring we show that the parameter estimates obtained by the method of maximum pseudo-likelihood still possess the properties of efficiency and asymptotic normality. Then, using numerical methods relying on the Barzilai-Borwein algorithm we test the robustness of the parameter estimates of a simulated GPD sample.

Keywords: Interval censoring; pseudo-likelihood; GPD model; asymptotic normality; BB-Algorithm

MSC 2010: 62N01; 62N02

- [1] Beirlant, Jan and Goegebeur, Yuri and Segers, Johan and Teugels, Jozef. *Statistics of extremes: the-ory and applications*. John Wiley & Sons: 2006.
- [2] Kalbfleisch, J. D. and Prentice, Ross L. *The statistical analysis of failure time data*. John Wiley & Sons: 2002.
- [3] Gourieroux, C. and Monfort, A. and Trognon, A.. Pseudo maximum likelihood methods: Applications to Poisson models. *Econometrica*, Number: 701–720, 1984.

Influence of a pole-density on the performances of its gamma-kernel estimator

M. Cherfaoui^{1*}

 1* Department of Mathematics, University of Biskra, 07000 Biskra , Algeria Research Unit LaMOS (Modeling and Optimization of Systems), University of Bejaia, 06000, Algeria

e-mail: 1*mouloudcherfaoui2013@gmail.com

Abstract: In this paper, in order to highlight the influence of the pole-density on the performances of its gamma-kernel estimator, we first stated some theoretical properties of these estimators for three chosen targeted densities that present different situations of the pole. In a second step, we performed a comparative study of the performance (Bias, variance, MSE, ISE) of the gamma-kernel estimators with those provided by other bias effect correction techniques at the bounds, using simulation technique for the three previous target densities. Moreover, our results confirm the results obtained in the literature and show that in some cases the normalization of the gamma estimators can considerably improve local and global performances of the gamma-kernel estimators.

Keywords:

MSC 2010: 62G07; 62G20.

- [1] S. Chen. Probability Density Functions Estimation Using gamma Kernels. *Annals of the Institute of Statistical Mathematics*, 52: 471–480, 2000.
- [2] M. Cherfaoui, M. Boualem, D. Aïssani and S. Adjabi. Quelques propriétés des estimateurs à noyaux gamma pour des échantillons de petites tailles. *Afrika Statistika*, 10: 711–724, 2015.
- [3] S. Zhang. A note on the performance of the gamma kernel estimators at the boundary. *Statistics and Probability Letters*, 80 (7–8): 548–557, 2010.

The Application of Kolmogorov's theorem in the one-default model

Fatima Benziadi^{1*}, Abdeldjebbar Kandouci²

^(1,2) Laboratory of Stochastic Models, Statistics and Applications Tahar Moulay University PO.Box 138 En-Nasr, 20000 Saida, Algeria

e-mail: 1* fatimabenziadi20gmail.com 2 kandouci19740yahoo.fr

Abstract: We are interested essentially to the so-called natural model. This model is expressed by a stochastic differential equation called \$\beta\$-equation, the latter plays an essential role in this work, but its application has been submitted to a hypothesis of continuity. Then it is important to know under what conditions this hypothesis is satisfied. So, to have this result, we applied the lemma of Kolmogorov.

Keywords: Credit risk; Kolmogorov's continuity criterion; stochastic flow.

MSC 2010: Primary 60G17; Secondary 60H05.

- [1] Ikeda-S.N.. Watanabe, Stochastic differential equations and diffusion processes, Second edition, New York (1989) .
- [2] Jeanblanc.M., Shiqi Song., Random times with given survival probability and their F-martingale decomposition formula, *Stochastic Processes And their Applications*, 121(2011).

Smoothing parameter selection methods in spline estimate for the regression curve

S. $AMROUN^{1*}$ and S. $ADJABI^2$

^{1*} Laboratoire LAMOS, Université de Béjaia.

e-mail: 1*sonia.amroun@yahoo.fr 2adjabi@hotmail.com

Abstract: The smoothing spline is the one of the most popular methods for estimating the regression function. The most important problem in smoothing spline is the choice of the smoothing parameter λ . In this work we present smoothing parameter selection methods and a bayesian approach in the spline estimate for the regression curve.

Keywords: regression curve; spline smoothing estimate; smoothing parameter; baayesian approach.

MSC 2010: 62G08; 62G05.

- [1] E.T, Whittaker. On a new method of graduation. *Proceedings of the Edinburgh Mathematical Society*, 1923.
- [2] J. S, Simonoff. Smoothing Methods in Statistics. *Springer Series in Statistics. Springer-Verlag, New York*, 1996.
- [3] B. W,Silverman. Some Aspects of the Spline Smoothing Approach to Non- Parametric Regression Curve Fitting. *Journal of the Royal Statistical Society*, 1985.

Analogy between traditional statistical methods and neural networks theory.

Dalel ZERDAZI^{1*}, Ahmed CHIBAT²

1* Laboratory of Applied Mathematics and Modeling, Freres Mentouri University. Constantine.
 2Laboratory of Applied Mathematics and Modeling, Freres Mentouri University. Constantine.

e-mail: 1*dalel.zerdazi@hotmail.com 2achibat@gmail.com

Abstract:

This work is an attempt to contribute, even slightly, in situating the neural networks theory into the framework of applied statistics. The central issue of statistical inference was studied under the light of neural approach. A lot of attention was payed to the notion of generalization, with the aim to conceive an unified approach, ghattering toghether traditional statistical methods with those resulting from neural networks theory, and presenting them as emerging from the same principle. The competitor estimators to the least squares one are surveyed, this is also done for the different neural techniques conceived for the needs of regression and prediction. A comparative study was done with the aim to show that the fondamental concept, at the level of the roots, of these different methods can be seen as unique. A real application case is presented to illustrate the predictive power of neural nets versus the classical methods.

Keywords: Linear regression; Ridge regression; Shrinkage estimators; Neural nets and related approaches.

MSC 2010: 62J05 ... 62J07 ... 62J12 ... 62M45

- [1] D.Zerdazi & A.Chibat. L'approche neuronale de l'infi¿½rence statistique. *Doctoral dissertation*. University Freres Mentouri.
- [2] A.Chibat, D.Zerdazi & F.L Rahmani. Estimation of postmortem period by means of artificial neural networks. *Electronic Journal of Applied Statistical Analysis*, 9(2), 326-339, 2016.
- [3] Robert Tibshirani. Regression shrinkage and selection via lasso. *Journal of royal statistical society*, 1996.
- [4] Hui Zou & Trevor Hastie. Regularization and variable selection via the elastic net. *J. R. Statist. Soc. B*, 67, Part 2, pp. 301-320, 2005.

An Unreliable Retrial Queue with Impatience and Preventive Maintenance

F. Lounis^{1*}, A. Aissani², D. Hamadouche¹ and S. Taleb²

 1* Faculty of Sciences, UMMTO, Algeria and 2 USTHB, 16111, Algiers, Algeria e-mail: 1* ferhat50@hotmail.fr 2 aaissani@usthb.dz 1 djhamad@ummto.dz 2 talebsamira04@yahoo.fr

Abstract: In this paper, we analyze an unreliable retrial queue with persistent and impatient customers having different general service distributions. The server is subject to active and passive breakdowns. A persistent customer whose service is interrupted enters the orbit while an impatient one leaves the system. The considered model takes into account two types of arbitrarily distributed maintenances: preventive for improving system performances and preventing breakdowns, and corrective for restoring the service when a failure occurs. If a preventive maintenance occurs in a busy period, then it is postponed to an ulterior date. We give the necessary and sufficient condition for the system to be stable. We obtain the joint probability distribution of the server state and the number of customers in orbit in terms of Laplace and *z*-transforms. Some performance measures are also given.

Keywords: Retrial queues, Performance measures, Maintenance, *z*-transforms.

MSC 2010: 60B10, 60F05, 62G30, 60K25.

- [1] J.R. Artalejo, & A. Gomez-Corral, Retrial Queueing Systems. *A Computational Approach*, Springer, 2008.
- [2] G.I. Falin, & J.G.C. Templeton, Retrial Queues, Chapman and Hall, 1997.
- [3] T. Yang, & J.G.C. Templeton, A survey on retrial queues, Queueing Systems 2, 201-233, 1987.

Estimation of missing value in random fields

1* Abdelghani HAMAZ, 2* AREZKI Ouerdia

Laboratory of Pure and Applied Mathematics Mouloud Mammeri University of Tizi-Ouzou

e-mail: hamaz.ghani@gmail.com

Abstract: We study a nonstandard prediction problem where a number of observations are added to the quarter-plane past of a stationary random field. The goal is to provide a informative and explicit prediction error variance formulas in terms of moving average parameters of the random fields.

Keywords: random fields; moving average representation; missing value; interpolation.

MSC 2010: 62-02

References

BONDON, P. (2002) Prediction with incomplete past of a stationary processes. *Stochastic Processes Appl*, **98**,67–76.

HAMAZ A, IBAZIZEN, M. (2009) Comparison of Two Estimation Methods of Missing Values Using Pitman-Closeness Criterion. *Communications in Statistics: Theory and Methods* **38**, 2210–2213.

POURAHMADI, M. (1989) Estimation and interpolation of missing values of a stationary time series. *J. Time Series Analysis*, **10**, 149–169.

Existence of optimal solutions to an optimal control problem of linear FBSDEs of mean- eld type

Boulakhras GHERBAL^{1*}, and Radhia BENBRAHIM ²

^{1*} University Med Khider, Biskra, Algeria and ² University Med Khider, Biskra, Algeria e-mail: ^{1*}bgherbal@yahoo.fr, benbrahim.radhia@yahoo.com ²

Abstract: In this work, we prove existence of strict optimal controls for linear forward backward stochastic differential equations (FBSDEs), in which the coefficient depend not only on the state process, but also on the distribution of the state process. The cost functional is also of mean-field type. The control domain and the cost function were assumed convex.

Keywords: Mean-field, Forward backward stochastic differential equation, Strict control, Existence

MSC 2010: 60H10

- [1] M. K. Bahlali, B. Gherbal and B. Mezerdi. *Existence and optimality conditions in stochastic control of linear BSDEs*. Random. Oper. Stoc.Equ., Vol. 18, No 3, (2010), 185-197.
- [2] K. Bahlali, M. Mezerdi and B. Mezerdi, *Existence of optimal controls for systems governed by mean-field stochastic differential equations*, Afrika Statistika, Vol. 9, (2014), 627-645.
- [3] R. Buckdahn, B. Djehiche, J. Li, and S. Peng, *Mean-Field backward stochastic differential equations: a limit approach*. Ann. Prob., 37(4), (2009) 1524-1565.
- [4] M.J. Yong and X.Y Zhou. *Stochastic controls, Hamiltonian Systems and HJB Equations*. Springer, New York, (1999).

Graphical Approach for claims reserving

Thara Belhamra^{1*}, Riad Remita² and Ilyes Chorfi³

 $1^{*,2,3}$ Badji Mokhtar University, Annaba

e-mail: 1*thara.belhamra@yahoo.fr 2riad.remita@univ-annaba.org 3ch.ilyes@hotmail.fr

Abstract: In this paper, we give for the first time a geometrical aspect of the standard theory of claim reserving using incremental claims. We show how to estimate the graphical development factors (k_j) using graphical technique, for that we need to calculate the tangents for each development year j, then we estimate the lower circles using observed circles and tangents. This leads to estimations of the yearly and total provisions.

Keywords: IBNR; Chain Ladder; Incremental Approach; Graphical Approach; provision.

MSC 2010: 62P05; 91G70

- [1] I. Chorfi and R. Remita. Stochastic incremental approach for modelling the claims reserves. . *International Mathematical Forum*, 8:807-828, 2013
- [2] . England and R. Verral. Stochastic claims reservering in general insurance. *British Actuarial Journal*, 8:443-544, 2002.
- [3] . England and R. Verral. Predicitve distributions of outstanding liabilities in general insurance. *Annals of Actuarial Science*, 1:221-270, 2006.
- [4] . K. Kaishev, S. D. Dimitrova, H. Steven, and R. Verrall. *Geometrically designed, variable knot regression splines: Asymptotics and inference. Computational Statistics*, pages 1-27, 2015.
- [5] . Mack. Distribution-free calculation of the standard error of chain-ladder reserve estimates. *ASTIN Bulletin*, 23:213-225, 1993.
- [6] . Mack. Which stochastic model is underlying the chain-ladder method? *Insurance Math. Econom*, 15:133-138, 1994.
- [7] . Mack and G. Venter. A comparison of stochastic models that reproduce chain ladder reserve estimates. *Insurance : Mathematics and Economics*, 26:101-107, 2000.
- [8] . Mulquiney. Artificial Neural Networks in Insurance Loss Reserving.
- [9] . Renshaw and R. Verrall. A stochastic model underlying the chain-ladder technique. *British Actuar. J.*, 4:903-923, 1998.
- [10] . Verrall. An investigation into stochastic claims reserving models and the chain-ladder technique. *Insurance : Mathematics and Economics*, 26:91-99, 2000.
- [11] . V. Wuthrich and M. Merz. Stochastic Claims Reserving Methods in Insurance. Wiley Finance, 2008

$\mathbb{Z}_q(\mathbb{Z}_q + v\mathbb{Z}_q + \cdots + v^{m-1}\mathbb{Z}_q)$ – Linear Cyclic, Skew Cyclic and Constacyclic Codes

A. Melakhessou 1* , K. Guenda 2 and L. Noui 3

^{1*} and ³ University of Batna 2, ²Faculty of Mathematics USTHB, Algeria.

e-mail: 1* a.melakhessou@univ-batna2.dz 2* ken.guenda@gmail.com 3 nouilem@yahoo.fr

Abstract: The purpose of this work is to study cyclic, skew cyclic and constacyclic codes over the ring $\mathbb{Z}_q R$, where $q = p^s$, p is a prime and $v^m = v$. We give the definition of these codes as subsets of the ring $\mathbb{Z}_q^{\alpha} R^{\beta}$.

Keywords: Skew cyclic codes; Constacyclic codes; Gray map.

MSC 2010: 11TXX; 11T71; 14G50; 94B05

- [1] T. Abualrub, I. Siap, and I. Aydogdu, $\mathbb{Z}_2(\mathbb{Z}_2 + u\mathbb{Z}_2$ -Linear Cyclic Codes, Proceedings of the International MultiConference of Engineers and Computer Scientists 2014 Vol II, IMECS 2014, March 12 14, 2014, Hong Kong.
- [2] J. B. Ayats, C. F. Córdoba, and R. T. Valls, $\mathbb{Z}_2\mathbb{Z}_4$ -additive cyclic codes, generator polynomials and dual codes, IEEE Transactions on Information Theory, Issue 11, Nov. 2016.
- [3] D. Boucher, P. Solé and F. Ulmer, *Constacyclic codes over Galois ring*, Adv. Math. Commun.,2(3), 273-292, 2008.
- [4] A. Dertlia, Y. Cengellenmisb, S. Erena, *On the codes over the* $\mathbb{Z}_3 + v\mathbb{Z}_3 + v^2\mathbb{Z}_3$, arXiv:1510.01591v1 [cs.IT] 4 Sep 2015.
- [5] J. Gao. Skew cyclic codes over $\mathbb{F}_p + v\mathbb{F}_p$. J. Appl. Math. Inform. 31: 337-342, 2013.
- [6] F. Gursoy, I. Siap and B. Yildiz, *Construction of skew cyclic codes over* $\mathbb{F}_q + \nu \mathbb{F}_q$, Advances in Mathematics of Communications, vol 8, pp. 313-322, 2014.
- [7] M. Shi, T. Yao, P. Solé, *Skew Cyclic Codes over a Non-chain Ring*, Chinese Journal of Electronics, Vol.26, No.3, May 2017.

Classification of Translation Surfaces in Lorentz Heisenberg 3-Space With Plat Metric

Dj. BENSIKADDOUR^{1*}, L. BELARBI²

^{1*} LMPA, University of Mostaganem
e-mail: ^{1*} bensikaddour@yahoo.fr ² belarbi@gmail.com

Abstract: In this work we study the characterization of some types of minimal translation surfaces in the 3– dimensional Lorentz Heisenberg space \mathcal{H}_3 endowed with the plate metric

$$g_3 = dx^2 + (xdy + dz)^2 - [(1-x)dy - dz]^2$$

Keywords: Lorentz Heisenberg 3–Space; Plate metric; Mean curvature; Translation surfaces; Minimal surfaces

MSC 2010: 53A10; 53A45; 53C20

- [1] M.Bekkar, Z.Hanifi., Minimal Surfaces of the 3- Dimensional Lorentz-Heiesenberg Space, Int. Journal of Math. Analysis, Vol.3, (2009), 473–482.
- [2] J.Inoguchi,Flat translation surfaces in the 3-dimensional Heisenberg group.J.Geom,**82**(2005)1-2,83-90.
- [3] N.Rahmani, S.Rahmani., Lorentzian Geometry of the Heisenberg Group, Geom. Dedicata, 118, (2006), 133-140.

Topological invariant for a class of morphisms and some applications

Chahrazade Matmat

Faculty of sciences, Department of Mathematics, Constantine, Algeria.

c.matmat@yahoo.fr

Abstract: This paper is devoted to build and study a topological degree for a class of morphisms f, g in the category Top of topological spaces and continuous single valued maps.

This described degree is obtained by the use of the homotopic methods, and it is a tool in coincidence point theory and the Borsuk-Ulam theorem. Some properties are given.

Keywords: Homotopy, Homology, topological invariant, Borsuk-Ulam theorem.

MSC 2010: 55M20; 55P99

Epsilon steepest descent on Riemannian submanifolds of R^n

M. Mezghiche¹, N. Djeghaba²* and Z. Souici. Benhammadi³*

1,2*,3* LANOS. Badji Mokhtar University. Annaba. Algeria

e-mail: 1 marouamezghiche@gmail.com

2* n.djeghaba@epst-annaba.dz 3* zsouicibenhammdi7@gmail.com

Abstract: In this paper we propose the epsilon steepest descent method to solve optimization problems in Riemannian manifolds. This algorithm accelerate the convergence of steepest descent method on Riemannian manifolds. We establish the convergence of our new algorithm with Armijo line search.

Keywords: Optimization on Riemannian manifolds; epsilon steepest descent method; Armijo inexact line searches; geodesics.

MSC 2010: 65M10; 53C21; 90C30

- [1] Absil. P.-A, Mahony. R, and Sepulchre. R. *Optimization algorithms on matrix manifolds*, Princeton University Press. Princeton, New Jersey, 2008.
- [2] Djeghaba. N,et Benzine. R, *Accélération de la convergence de la méthode de la plus forte pente*, Demonstratio Mathematica (2006) Vol.39.n.169.181.
- [3] Rahali. N, Djeghaba. N,et Benzine. R, *Global convergence of the Armijo epsilon steepest descent algorithm*, Revue d'Analyse numérique et de théorie de l'Approximation, vol.41,no.2,pp.169-180, 2012.
- [4] Smith. S.T, *Geometeic optimization methods for adaptive filtering*, Havard university, Cambridge, Massachustts, 1993.
- [5] Yang.Y, Globally Convergent Optimization Algorithms on Riemannian Manifolds: Uniform Framework for Unconstrained and Constrained Optimization, Journal of optimization of theory and applications, Vol.132, No.2, pp.245-265, 2007.

Equivalence and Similarity of a Class of Matrices over a Commutative Ring

Mohamed S. Boudellioua^{1*}

^{1*} Dept. of Mathematics and Statistics, Sultan Qaboos University, Muscat, Oman.

e-mail: 1*boudell@squ.edu.om

Abstract: In this paper, the problem of equivalence and similarity of certain classes of matrices over a commutative ring is considered. Such matrices arise for example in the study of linear systems of delay-differential equations. Necessary and sufficient conditions are given under which a class of matrices is similar to the companion form. These conditions turn out to be equivalent to the corresponding characteristic matrices to be equivalent to the Smith normal form.

Keywords: Matrices, Equivalence, Similarity, Companion form, Smith form.

MSC 2010: 11Cxx; 15A21; 15A23

- [1] S. Barnett. Matrices in control theory. R.E. Krieger Publishing Company, Malabar, Florida, 1984.
- [2] M.S. Boudellioua. Further results on the equivalence to Smith form of multivariate polynomial matrices. *Control and Cybernetics*, 42(2):543–551, 2013.
- [3] M.S. Boudellioua and A. Quadrat. Serre's reduction of linear functional systems. *Mathematics in Computer Science*, 4(2):289–312, 2010.
- [4] M.G. Frost and M.S. Boudellioua. Some further results concerning matrices with elements in a polynomial ring. *Int. J. Control*, 43(5):1543–1555, 1986.
- [5] E.B. Lee and S.H. Zak. Smith forms over $\mathbb{R}[z_1, z_2]$. *IEEE Trans. Autom. Control*, 28(1):115–118, 1983.
- [6] H. H. Rosenbrock. State space and multivariable theory. Nelson-Wiley, London, New York, 1970.
- [7] E. Zerz. Topics in Multidimensional Linear Systems Theory. Springer, London, 2000.

On Almost Clean Rings

H. Kose^{1*}, H. Chen²

^{1*} Ahi Evran University, Turkey ²Hangzhou Normal University, China e-mail: ^{1*}handankose@gmail.com ² huanyinchen@aliyun.com

Abstract: A ring *R* is *almost unit-clean* provided that every element in *R* is equivalent to the sum of an idempotent and a regular element. The subject of almost clean rings (in particular, in commutative case) is interested for so many mathematicians, e.g., [1,2,3] and [4,5], as they are related to the well-studied clean rings of Nicholson. In this work, we shall seek to remedy this by looking at an interesting generalization of almost clean rings. We investigate conditions under which a ring is almost unit-clean.

Keywords: almost unit-clean ring; unit regular ring; π -regular ring

MSC 2010: 16E50; 13G99

This work was supported by the Ahi Evran University Scientific Research Projects Coordination Unit. Project Number: FEF. E2. 17. 045

- [1] M.S. Ahn and D.D. Anderson, Weakly clean rings and almost clean rings, *Rocky Mountain J. Math.*, **36**, 783–798, (2006).
- [2] E. Akalan and L. Vas, Classes of almost clean rings, Algebra Represent. Theory, 16, 843–857, (2013).
- [3] F. Couchot, Almost clean rings and arithmetical rings, Fontana, Marco (ed.) et al., Commutative algebra and its applications. Proceedings of the fifth international Fez conference on commutative algebra and applications, Fez, Morocco, June 23–28, 2009.
- [4] M. Tamekkante; M. Chhiti and K. Louartiti, Generalization of almost clean rings, *Int. J. Algebra*, **5**, 1213–1218, (2011).
- [5] L. Vaš, *-Clean rings; some clean and almost clean Baer *-rings and von Neumann algebras, *J. Algebra*, **324**, 3388–3400, (2010).





Poster Sessions 1 Program (15h00:16h00, October 09, 2017)

Nacera BAARA: "Green's Function for Dispersive Wave Equation in Stratified Media.", University of Sciences and Technology Mohamed Boudiaf, **Oran**, Algeria.

Izzessalam TELITEL: "A Simple mathematical model for the treatment of a lung cancer.", Freres Mentouri University, **Constantine**, Algeria.

Sarra BRIHI: "Error estimate of the projection method for the unsteady Darcy-Brinkman-Forchheimer equations.", University of Caen Normandy, **France.**

Abdelali Makhfi: "Brusselator system and non-standard analysis", University of Sciences and Technology Houari Boumediene, BAB EZZOUAR **Algiers**, Algeria.

Ahmed DIAR: "Ultimate bound and dynamical behavior for a new complex chaotic system", Larbi Ben M'hidi University, **Oum El Bouaghi**, Algeria.

Nesrine TABCHOUCHE: "Interior-point methods of primal-dual central-path type for solving some classes of linear complementarity problems over symmetric cones.", Ferhat Abbas University, **Setif**, Algeria.

Djamel DEBBABI: "Periodic solutions of some classes of continuous second-order differential equations.", Badji Mokhtar University, **Annaba**, Algeria.

Djamila DJEDID: "Limit cycle of the generalized Michelson system.", Badji Mokhtar University, **Annaba**, Algeria.

Chahrazed MESSIKH: "Finite volume method for a Keller-Segel problem.", Badji Mokhtar University, **Annaba**, Algeria.

Khaoula ROUIBEH: "Iterative collocation method for solving nonlinear Volterra integral equation.", Abdelhafid Boussouf University Center, **Mila**, Algeria.

Nidal DIB: "On a stochastic generalized burgers equation in a bounded domain.", August 20, 1955 University, **Skikda** Algeria.

Ala Eddine DRAIFIA: "Existence of the solution for a quasi-linear parabolic equation with non-local condition.", Larbi Tebessi University, **Tebessa**, Algeria.

Malik BELAID: "Existence and stability for totally nonlinear neutral dynamic equations with variable delay on time scales.", Badji Mokhtar University, **Annaba**, Algeria.

Meneceur BEKKAR: "Non-Existence Of Global Solutions Of Nonlinear Fractional Reaction-Diffusion Equation On The Heisenberg Group.", Freres Mentouri University, **Constantine**, Algeria.





Poster Sessions 1 Program (15h00:16h00, October 09, 2017)

Samira DEHAIMI: "Estimation of parameters of extreme values.", Badji Mokhtar University, **Annaba**, Algeria.

Houda BOUREZAZ: "Prediction-Satisfaction index in experimental design for Poisson-Gamma model.", Freres Mentouri University, **Constantine**, Algeria.

Nadia KADIRI: "Strong uniform consistency rates of conditional quantiles estimation in the single functional index model for Dependant Functional Data Under Random Censorship.", Djillali Liabes University, **Sidi Bel Abbes**, Algeria.

Amel ZERARI : "Sequential analysis in clinical trials.", Abdelhafid Boussouf University Center, **Mila**, Algeria.

Besma BENNOUR: "Bayesian Reliability Analysis of a Linear and Circular Consecutive-k-out-of-n System under a Shock Model.", Freres Mentouri University, **Constantine**, Algeria.

Farouk METIRI: "On weighted balanced loss function under the Esscher principle and credibility premiums.", Badji Mokhtar University, **Annaba**, Algeria.



The first international conference on the "Evolution of Contemporary Mathematics and their Impact in Sciences and Technology" (ECMI-SciTech 2017). October 09-12, 2017. Freres Mentouri University- Constantine, Algeria.



http://ecmi2017.labomam.net/

Poster Sessions 2 Program (10h00:11h00, October 10, 2017)

Achouak BEKKAI: "Critical exponent for nonlinear hyperbolic system with spatio-temporal fractional derivatives.", Larbi Tebessi University, **Tebessa**, Algeria.

Feriel Bouhadjera: "Wavelet analysis of market volatility.", Badji Mokhtar University, **Annaba**, Algeria.

Zineb BARHOUM: "Approache Solution of Population Balances for Growth and Aggregation Processes.", Mohamed Khider University, **Biskra**, Algeria.

Zouhair Diab: "Limit Cycles for the Class of *D*-Dimensional Polynomial Differential Systems.", Larbi Tebessi University, **Tebessa**, Algeria.

Zineb ACHOURI: "The Euler-Bernoulli beam equation with boundary dissipation of Caputo's fractional derivative type", Djillali Liabes University, **Sidi Bel Abbes**, Algeria.

Abdallah BEDDANI: "Approchead Bolza type problems in infinite dimentional in discrete time.", Ahmed Zabana University Center, **Relizane**, Algeria.

Hakima DEGAICHIA: "The wolfe epsilon steepest descent algorithm.", Larbi Tebessi University, **Tebessa**, Algeria.

Aicha SAKHRI: "A study of a class of a dynamic system of Fitzhugh-Nagumo type.", Badji Mokhtar University, **Annaba**, Algeria.

Selma ELLAGGOUNE: "Upper bounds for the number of limit cycles of polynomial differential systems.", May 8, 1945 University, **Guelma**, Algeria.

Fatima Zahra ARIOUI: "Black-Scholes Option Pricing Model.", Djillali Liabes University, **Sidi Bel Abbes**, Algeria.

Nesrine HAMIDI: "Estimation of the conditional quantile for functional stationary ergodic data with responses missing at random."

Djillali Liabes University, Sidi Bel Abbes, Algeria.

Meryem Besma BOUCHENAKI: "Estimation of multiple delays in a nonlinear diffusion process.", Aboubekr Belkaid University, **Tlemcen**, Algeria.

Malika CHEIKH: "Robust Mahalanobis distance in multivariate analysis." Mouloud Mammeri University, **Tizi Ouzou**, Algeria.

Nassima BERROUIS: "Stochastic optimal contol for linear forward backward doubly stochastic differential equations.",

Mohamed Khider University, Biskra, Algeria.





Poster Sessions 2 Program (10h00:11h00, October 10, 2017)

Ikhlasse CHEBBAB: "Exponential inequalities for a LNQD autoregressive process.", Djillali Liabes University, **Sidi Bel Abbes**, Algeria.

Assia AYACHE: "The optimal interpolation method.", Freres Mentouri University, **Constantine**, Algeria.

Said KHALDI: "Weak Convergence Methods for Non-linear PDE.", Djillali Liabes University, **Sidi Bel Abbes**, Algeria.

Ali RIMOUCHE: "Multiple solutions for a semilinear problem with boundary singularities.", Aboubekr Belkaid University, **Tlemcen**, Algeria.

Fatima FENENICHE: "Limit cycles and integrating factors for second order ODEs.", University of Sciences and Technology Houari Boumediene, BAB EZZOUAR **Algiers**, Algeria.

Radhouane AOUNALLAH: "Exponential decay of solutions of a nonlinearly damped wave equation.", Djillali Liabes University, **Sidi Bel Abbes**, Algeria.

Omar Farouk AID: "Propagation of Coherent States in Quantum Mechanics.", Ahmed BENBELLA University, **Oran**, Algeria.





Poster Sessions 3 Program (15h00:16h00, October 10, 2017)

Selma BOULECHFAR: "Mathematical modeling of a model of communication on the Internet TCP.", August 20, 1955 University, **Skikda**, Algeria.

Chafia KAREK: "Homogenization of a Stokes problem in domains with small holes with Non-Homogeneous Slip Boundary Conditions.", August 20, 1955 University, **Skikda**, Algeria.

Sarra TOUALBIA: "Asymptotic behavior for a viscoelastic problem with no necessarily decreasing kernel.", Larbi Tebessi University, **Tebessa**, Algeria.

Khaoula BOUGUETOF: "Non existence for the Laplace equation of fractional type.", Larbi Tebessi University, **Tebessa**, Algeria.

Hafida LAIB: "Numerical Solution of Neutral Delay Integro-differential Equations by Using Taylor Collocation Method.", Abdelhafid Boussouf University Center, **Mila**, Algeria.

Meryem BEY: "Limit cycles bifurcating from the period annulus of a uniform isochronous center in a quartic polynomial differential system.", Badji Mokhtar University, **Annaba**, Algeria.

Nawel BOUDJELLAL: "Convex quadratic program; central trajectory method; short-step; long-step.", Ferhat Abbas University, **Setif**, Algeria.

Sihem ZETILI: "Study of the Stability of fractional-order dynamical systems.", Freres Mentouri University, **Constantine**, Algeria.

Widad LAOUIRA: "Feedback Control of Lorenz System.", Freres Mentouri University **Constantine**, Algeria.

Amel HANNACHE: "WAVELET ANALYSIS OF MARKET VOLATILITY.", August 20, 1955 University, **Skikda**, Algeria.

Allaoua BOUDJEDOUR: "Existence of the weak solution of the anti-plane contact problem.", Freres Mentouri University, **Constantine**, Algeria.

Nawel MOUDJEB: "Regularization by a modified quasi-boundary value method of the ill-posed problems". Larbi Ben M'hidi University, **Oum El Bouaghi**, Algeria..

Torkia MEROUAN: "Modelling dependence using the copulas theory.", Djillali Liabes University, **Sidi Bel Abbes**, Algeria.

Abdelouahab RASLAIN: "Supervised and unsupervised classification techniques for the treatment of two real situations.", Freres Mentouri University, **Constantine**, Algeria.

Zaineb MEZDOUD: "The volatility of stock prices with Option pricing: Black-Scholes Made Easy software.", Badji Mokhtar University, **Annaba**, Algeria.

ABOUD NEMOUCHI: "Estimation and tests with bivariate censored data.", Freres Mentouri University, **Constantine**, Algeria.





Poster Sessions 3 Program (15h00:16h00, October 10, 2017)

Mouhamed Amine NIANG: "Testing bivariate normality based on nonlinear canonical analysis.", Alioune Diop University, Bambey. **Senegal**.

Souheyla CHEMIKH: "Asymptotic study of the robust estimator of the regression function.", Djillali Liabes University, **Sidi Bel Abbes**, Algeria.

Ilhem LAROUSSI: "B-spline estimators of regression function with twice censored data.", Freres Mentouri University, **Constantine**, Algeria.

Nadjla ZEHANI: "Stochastic Volatility Model.", Chadli Bendjedid University, **El Tarf**, Algeria.

Amina BOUSSAID: "Solutions to the equation A1X B1+A2X B2=C for Hilbert space operators.", Mostefa Ben Boulaïd University, **Batna**, Algeria.

Fairouz SOUILAH: "Solving of a nonlinear parabolic problem with data in L1.", August 20, 1955 University, **Skikda** Algeria. Bien 2page

Manel GOUASMIA: "Study of periodic and nonnegative periodic solutions of nonlinear neutral functional differential equations via fixed points.", Badji Mokhtar University, **Annaba**, Algeria.





Poster Sessions 4 Program (08h00:10h00, October 11, 2017)

Nesrine SEMCHEDINE: "General decay of solutions of a wave equation with a boundary control of memory type.", Ferhat Abbas University, **Setif**, Algeria.

Fayrouz ZOUBAI: "On the mixed problem for the nonlinear elasticity system in a domain regular.", Ferhat Abbas University, **Setif**, Algeria.

Ismahène SEHILI: "Two-Dimensional Legendre Approximation.", Mohamed Khider University, **Biskra**, Algeria.

Dahmane BOUAFIA: "Existence of positive solutions for a second order problem on the half - line via Ekeland's variational principle.", Mohamed Boudiaf University, **M'Sila**, Algeria.

Asma MAADADI: "Numerical solution of nonlinear Fredholm integro - differential equations using Chebyshev polynomials.", Mohamed El Bachir El Ibrahimi University, **Bordj Bou Arréridj**, Algeria.

Dounia BELAKROUM: "A numerical method for the solution of hyperbolic damped wave equation.", Freres Mentouri University, **Constantine**, Algeria.

Sara KASSA: "Detecting periodic orbits in some 3D chaotic quadratic polynomial differential systems.", Badji Mokhtar University, **Annaba**, Algeria.

Imene TOUIL: "A primal - dual interior- point method for semidefinite programming problem based on a new kernel function.", Mohamed Seddik Ben Yahia University, **Jijel**, Algeria.

Nouria ARAR: "Properties of the eigenfunctions of the operator \$\varrho^{ - 1} \Delta\$.", Freres Mentouri University, **Constantine**, Algeria.

Rekia MESSIOUENE: "Semi classical Fourier integral operator.", University of Sciences and Technology Mohamed Boudiaf, **Oran**, Algeria.

Mohamed HARIRI: "On The Stabilization Of Degenerate Differential Systems In Hilbert Spaces.", Djillali Liabes University, **Sidi Bel Abbes**, Algeria.

Mabrouk BRIKI: "Solvability of an impulsive boundary value problem on the half-line via critical point theory.", Ziane Achour University, **Djelfa**, Algeria.

Hafidha SEBBAGH: "The exact number of positive solutions for a class of quasilinear boundary value problems.", Aboubekr Belkaid University, **Tlemcen**, Algeria.

Katia BACHI: "Statistical Analysis of Propagation of Parametric Uncertainty In Stochastic System.", Abderrahmane Mira University, **Bejaia**, Algeria.

Soumia MANAA: "Singular and asymptotic behavior of solutions of boundary value problems in non - homogeneous domains.", Ferhat Abbas University, **Setif**, Algeria.





Poster Sessions 4 Program (08h00:10h00, October 11, 2017)

Alima CHIBANI: "A preconditioned UZAWA method for stabilized mixed Velocity - Pressure Finite Elements. ", Freres Mentouri University, **Constantine**, Algeria.

Haizia BOUNADJA: "Decay rates for elastic- thermoelastic star -shaped networks.", Ferhat Abbas University, **Setif**, Algeria.

Ali HAMEIDA: "Optimal regularization for ill posed inverse problems.", Freres Mentouri University, **Constantine**, Algeria.

Okba ZEHROUR: "Optimal and adaptive control for HIV model.", Larbi Ben M'hidi University, **Oum El Bouaghi**, Algeria.

Mohammed El Amine MEKKI: "Ricci Solitons On Sasakian Manifolds.", Mustapha Stambouli University, **Mascara**, Algeria.

Aziza REZIG: "Groups with many subgroups having soluble - by - finite minimax layers or derived subgroup.", Ferhat Abbas University, **Setif**, Algeria.